



# Composite Material Selection for Structural Applications Using WPM Method

\*<sup>1</sup>Chandran Subramani, <sup>2</sup>Sathiyaraj Chinnasamy, <sup>2</sup>Ashwini Murugan, <sup>2</sup>Chandrasekar Raja

<sup>1</sup>Indian Maritime University (A Central University) Chennai, TamilNadu, India.

<sup>2</sup>REST Labs, Kaveripattinam, Krishnagiri, TamilNadu, India.

\*Corresponding author Email: [chandran3000@gmail.com](mailto:chandran3000@gmail.com)

**Abstract.** Genetically Enhanced Neural Network System (GONNS) Proposed as a selection-making tool. Many neural networks represent the traits of the machine after a training method and Genetic algorithms stumble on best operating situations. In many packages, together with material selection in engineering, specialists evaluate diverse alternatives, The records were calculated to decide the proportion of the 2 strategies in estimating the scores, from which strategies of accuracy and espresso blunders prices had been received. To discover the proper one for each technique, create a rating of trainees who've obtained an internship application in a particular phase of the company. This From the constraints, it was important to evaluate the services within the computer faculties in the Poly Digital Library, therefore making tips for service enhancements. Although the rules to follow aren't usually nicely documented, their final desire is typically correct and their predictions are reasonable. In principle, the evaluator is the one who collects complete and accurate records about the coverage in a selected product / challenge / provider / evaluate from the evaluator, is the analytical process. Therefore, it could be used as an advice in decision making. Evaluation is statistics approximately gathering, reading and dispensing particular fabric. Computer studying manage Provides suitable capability although the optimization method is used to deliver the final result, the professional opinion will inevitably reduce the number of options, so that it will be examined very cautiously. The rank of PSF1, PSF 2, PSF 3, VSF 1, VSF 2, VSF 3. The PSF 1 is on the 1 rank, The VSF 3 is on the 2<sup>nd</sup>rank, The PSF 2 is on the 3<sup>rd</sup> rank, The VSF 1 is on 4<sup>th</sup> rank, The PSF 3 is on the 5<sup>th</sup> rank and also VSF 2 is on the last rank

**Key words:** Genetically Enhanced Neural Network System, Natural fibers, MCDM Method

## 1. Introduction

The significance of product selection inside the product development process is properly identified. Creating a right method for selecting the first-class material isn't an easy undertaking due to the fact the satisfactory Material choice is decided through a range of things that affect the system. There are two essential motives for deciding on products: first, better overall performance, decrease value, and increased reliability. Weight loss and secondly, deciding on the fabric for a brand-new product. Composite substances are usually used in buildings, bridges and boat tiles, swimming pool panels, racing vehicle our bodies, shower stalls, baths Used for systems together with tanks, Garage tanks, imitation granite and cultured marble sinks and countertops. They are also extensively used in popular vehicle applications. This is due to the low cost of production Contributes due to the fact very little fabric can be used without sacrificing structural balance. Alloys are corrosion resistant, that means they do not rust or corrode like metal alloys. These substances are like pipe, salt water and pipe work can be utilized in corrosive environments. Composite materials are shaped via combining or extra substances with different residences, without dissolving or mixing them with every other. Examples are concrete, mud bricks and fiberglass. A composite cloth is defined as a combination of or more. Products that produce higher homes than character additives. Alone Used. In contrast to alloys, every cloth is retained for my part. In the layout of car components, in the manufacturing of environmentally friendly metal additives It is commonplace to replace metal with natural fiber because the base material due to high power consumption. Therefore, on this take a look at, the needs of clients and the surroundings can be met to determine the right herbal fibers; herbal fibers had been selected for a hybrid biofilm in the layout of the anti-roll roll bar.

## 2. Composite Material Selection for Structural Applications

The preference of substances for the design and development of any structure is one of the maximum difficult tiers. In this artwork, AHP-MOORA is a hybrid MCDM Selection approaches are completed taking into consideration the bodily, mechanical and placed on houses of the composite materials which include electricity, flexibility, impact strength and precise put on charge. AGATE Advanced Materials Program, directed to create composite substances authorized and authorized with the aid of manner of the FAA (see picture). AGATE Used to pick the technique. Good placed on resistance and materials for imaginative and prescient of structural programs. Density, hardness, tensile electricity Members - A&P Technology, Cessna Aircraft, Cirrus Design, Fiberscope Industries, Global Aircraft, The Lancair Company, Raytheon Aircraft, Stoddard-

Hamilton, Simula Technologies and Toray Composites America - Advanced Provide business enterprise participants for application material. A key purpose of the AGATE Advanced Materials Project is public aviation creating a "vast" FAA accepted composite cloth eligibility system for use in the network. In addition, the currently released AGATE record, "For Polymer Matrix Composite Material Systems Material Qualification and Equation "1, regular by using the FAA as a connection with Part 23 certification. Because, this variation must be mentioned when design values are assigned. Although the statistical strategies supplied are the most commonplace type of version because of the one's practices keep in mind that not all resources of model are due. With natural fiber within the layout of automobile components, due to the excessive strength consumption in the manufacturing of metal additives that have an impact at the environment It is not unusual to convert steel to a base material. Therefore, in this study, to determine the right herbal fibers that would meet the desires of clients and the surroundings, car Natural fibers had been determined on for a hybrid biodegradable cloth inside the format of the anti-roll bar. Environmental analysis become studied the usage of a mixture of hierarchical manner and high-quality characteristic sequencing. In making the very last selection, the lifestyles cycle became evaluated to assist environmental goals. The selection of substances as part of layout research has been of sizable hobby for decades. Ingredients Selection is one of the maximum important steps inside the product improvement manner. Improper consequences of the substances may also additionally lead to re-advent or reproduction of the product. To keep away from this situation, masses one of the maximum beneficial gears that may be used to decide the appropriate cloth is the analytical hierarchical manner. The use of composite substances within the automobile employer is developing suddenly. High fine at low cost the automobile enterprise is coping with increasing market pressure to produce products faster. Determining the proper material inside the car business enterprise is a crucial choice. In contemporary years, the usage of compounds vehicle bumper Focuses closely on vehicle additives together with shape. The bumper machine is commonly divided into four: bumper fascia, electricity absorber, bumper beam and bumper stay. Recognized as having easy additives, as shown in Figure.2. One of the maximum crucial additives of a bumper gadget is the bumper beam.


### 3. Weight Product Method (WPM)

It collects the processor and sensor nodes for sending the statistics record to the base station. Basically, these sensor nodes are environmental statistics, this information is in different intermediate information wallet Are saved, and the information they ship to the destination thru the nodes is transmitted from the recovered information supply to the lowest station. Multi-hop will be shipped. In the case of multi-hop, the community the vital assist for transmission technology is navigation. In a WSN, a green routing set of rules can be very essential. But many routing parameters and sensor terminal of the community Limited Resources Due to this, problems upward thrust up in designing green routing algorithms to recognize that the electricity of diverse controls of WSNs isn't always very clean. In this bankruptcy let's have a observe smooth multi-stage preference methods, weight sum method and weight product method. The sum weighed within the device, the value of a change price being equal to the sum of its cost values, every weight being associated with the function Key weights. Performance Scores Emphasize the strength of weight in location of calculating rankings that resource the characteristic significance of overall performance rankings in a weighted manufacturing tool. Precisely the use of WP and TOPS algorithms A software program device grow to be advanced to degree and assist selection making. Thirty student information had been calculated in line with their rating. The records were calculated to determine the proportion of strategies in predicting correct rankings, from which accuracy and coffee mistakes Rates had been received times. To locate the proper one for every approach, create a rating of trainees who've received an internship application in a selected section of the enterprise. Digital in computer schools in Bali from these limitations It is vital to evaluate the library offerings. In precept, the evaluator is the one who collects complete and correct records about the policy in a selected product / undertaking / provider / evaluation from the evaluator, is the analytical system. Therefore, it is able to be used as a recommendation in preference making. Evaluation is information approximately amassing, reading and allotting unique cloth. Provides appropriate functionality for pc mastering manage. Density is the huge form of human beings, animals, plant life, or devices in a given place. To calculate the density, you divide the form of devices by means of the area dimension. Micro hardness is a widely used term for sorting out the hardness of materials the use of small carried out loads. Micro indication hardness takes a look at is the most suitable term to explain this. Tensile power Is "resistance to elongation stress, measured via the most important load of weight consistent with unit region, pulled inside the route of a given length that the given cloth can resist without tearing". Of an item (steel or ceramic vessel) resistance to fracture with the useful resource of a blow is expressed in phrases of the quantity of electricity absorbed previous to fracture.

**TABLE 1.** Dataset for composite material

	Density	Micro hardness	Tensile strength	Impact strength
PSF1	76.45	56.76	29.15	56.75
PSF 2	67.56	67.98	67.43	46.56
PSF 3	89.43	34.89	51.75	56.45
VSF 1	56.87	76.78	45.67	67.87
VSF 2	46.68	46.53	67.87	45.65
VSF 3	84.67	59.54	56.34	56.67

This table upgraded the dataset value for Density, Micro hardness, Tensile strength, Impact strength, and PSF1, PSF2, PSF3, VSF 1, VSF 2, VSF 3. Here PSF1 refer to the 30 wt% 400 gsm polyester fabric mat + 0 wt% BFS + 70 wt% epoxy, PSF 2 refers to the 30 wt% 400 gsm polyester fabric mat + 5 wt% BFS + 65 wt% epoxy, PSF 3 refer to the 30 wt% 400 gsm polyester fabric mat + 10 wt% BFS + 60 wt% epoxy, VSF 1 refer to the 30 wt% 400 gsm viscose fabric mat + 0 wt% BFS + 70 wt% epoxy, VSF 2 refer to the 30 wt% 400 gsm viscose fabric mat + 5 wt% BFS + 65 wt% epoxy, VSF3 refer to the 30 wt% 400 gsm viscose fabric mat + 10 wt% BFS + 60 wt% epoxy.



**FIGURE 1.** Dataset for composite material

This figure shows that the dataset value for composite material using WPM.

**TABLE 2.** Performance value

	Density	Micro hardness	Tensile strength	Impact strength
PSF1	0.85486	0.73926	1.00000	0.80441
PSF 2	0.75545	0.88539	0.43230	0.98046
PSF 3	1.00000	0.45442	0.56329	0.80868
VSF 1	0.63592	1.00000	0.63827	0.67261
VSF 2	0.52197	0.60602	0.42950	1.00000
VSF 3	0.94677	0.77546	0.51739	0.80554

This table shows that the performance value for composite material using WPM. This value calculated from the data set value.

**TABLE 3.** Weight

	Density	Micro hardness	Tensile strength	Impact strength
PSF1	0.25	0.25	0.25	0.25
PSF 2	0.25	0.25	0.25	0.25
PSF 3	0.25	0.25	0.25	0.25
VSF 1	0.25	0.25	0.25	0.25
VSF 2	0.25	0.25	0.25	0.25
VSF 3	0.25	0.25	0.25	0.25

Table 3 shows Weight ages used for the analysis. We have taken same weights for all the parameters for the analysis.

**TABLE 4.** Weighted normalized decision matrix


	Density	Micro hardness	Tensile strength	Impact strength
PSF1	0.96155	0.92725	1.00000	0.94704
PSF 2	0.93229	0.97003	0.81086	0.99508
PSF 3	1.00000	0.82104	0.86633	0.94830
VSF 1	0.89300	1.00000	0.89382	0.90561
VSF 2	0.84999	0.88231	0.80954	1.00000
VSF 3	0.98642	0.93840	0.84812	0.94737

This table shows that the value of Weighted normalized decision matrix for composite material. This value calculated from the performance value and weight.

$$\text{Weighted normalized decision matrix} = \text{Performance value} * \text{Weight}$$

**TABLE 5.** Preference Score

	Preference Score
<b>PSF1</b>	0.844385688
<b>PSF 2</b>	0.72968962
<b>PSF 3</b>	0.674511682
<b>VSF 1</b>	0.722840736
<b>VSF 2</b>	0.607118292
<b>VSF 3</b>	0.743753606




**Figure 2.** Preference score

This figure and Table show that preference score for composite material..Here PSF1 refer to the 30 wt% 400 gsm polyester fabric mat + 0 wt% BFS + 70 wt% epoxy, PSF 2 refers to the 30 wt% 400 gsm polyester fabric mat + 5 wt% BFS + 65 wt% epoxy, PSF 3refer to the 30 wt% 400 gsm polyester fabric mat + 10 wt% BFS + 60 wt% epoxy, VSF 1refer to the 30 wt% 400 gsm viscose fabric mat + 0 wt% BFS + 70 wt% epoxy ,VSF 2 refer to the 30 wt% 400 gsm viscose fabric mat + 5 wt% BFS + 65 wt% epoxy,VSF3 refer to the 30 wt% 400 gsm viscose fabric mat + 10 wt% BFS + 60 wt% epoxy.

**TABLE 6.** Rank

	Rank
PSF1	1
PSF 2	3
PSF 3	5
VSF 1	4
VSF 2	6
VSF 3	2

In this table the rank calculated for composite material selection using method WPM. The PSF 1 is on the first rank and VSF 2 is on the last rank.



**FIGURE 3.** Rank

In this figure shows that the rank of PSF1, PSF 2, PSF 3, VSF 1, VSF 2, VSF 3. The PSF 1 is on the 1 rank, The VSF 3 is on the 2<sup>nd</sup>rank, The PSF 2 is on the 3<sup>rd</sup> rank, The VSF 1 is on 4<sup>th</sup> rank, The PSF 3 is on the 5<sup>th</sup> rank and also VSF 2 is on the last rank.

#### 4. Conclusion

Composite materials are commonly utilized in buildings, bridges and boat tiles, swimming pool panels, racing car our bodies, bathe stalls, bathtubs, garage tanks, imitation granite and cultured marble sinks and used for structures which includes counter tops. In this bankruptcy we are able to take a look at simple multi-degree choice strategies, weight sum method and weight manufacturing technique. On the computer the weighed sum, the cost of an alternate price being equal to the sum of its value values, every weight being the principal weights related to the belongings. Performance rankings, weighted production Support the feature significance of performance ratings within the device Emphasize the pressure of weight as opposed to calculating scores. Precisely the usage of WP and TOPS algorithms a software system become advanced to degree and guide selection making. Thirty pupil facts had been calculated consistent with their ranking. In this work, the AHP-MOORA approach is used to pick the hybrid MCDM approach. Good put-on resistance and structural packages Items for viewing. Selection processes are achieved contemplating the physical, mechanical and put on homes of the composite materials consisting of density, longevity, tensile energy, flexibility, impact electricity and particular wear rate. The rank of PSF1, PSF 2, PSF 3, VSF 1, VSF 2, VSF 3. The PSF 1 is on the 1 rank, The VSF 3 is on the 2<sup>nd</sup>rank, The PSF 2 is on the 3<sup>rd</sup> rank, The VSF 1 is on 4<sup>th</sup> rank, The PSF 3 is on the 5<sup>th</sup> rank and also VSF 2 is on the last rank.

#### Reference

- [1]. Aminudin, Nur, EniSundari, K. Shankar, P. Deepalakshmi, Rita IrvianiFauzi, and AndinoMaseleno. "Weighted Product and its application to measure employee performance." *International Journal of Engineering & Technology* 7, no. 2.26 (2018): 102-108.
- [2]. Mateo, José Ramón San Cristóbal. "Weighted sum method and weighted product method." In *Multi criteria analysis in the renewable energy industry*, pp. 19-22. Springer, London, 2012.
- [3]. Hung, Bui Thanh, Prasun Chakrabarti, Xue-bo JIN, Tulika Chakrabarti, and Ahmed A. Elngar. "A Novel Artificial Intelligence-Based Predictive Analytics Technique to Detect Skin Cancer."
- [4]. Sukumaran, C., and P. J. Sebastian. "Effect of Inclusive Games and Physical Exercises on Selected Physical Variables among the Intellectually Challenged Children." *Annals of the Romanian Society for Cell Biology* 26, no. 01 (2022): 1442-1450.
- [5]. Lala, Ajay, Anand Bhaskar, Prasun Chakrabarti, and J. Srivastava. "A novel approach for optimizing energy and bandwidth issues in MANET using DSR protocol." *International Journal of Computer Networks and Communications* 9, no. 5 (2017): 17-29.
- [6]. Rathor, Ketan, Anshul Mandawat, Kartik A. Pandya, Bhanu Teja, Falak Khan, and Zoheib Tufail Khan. "Management of Shipment Content using Novel Practices of Supply Chain Management and Big Data Analytics." In *2022 International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)*, pp. 884-887. IEEE, 2022.
- [7]. Tanwar, Sarvesh, and Anil Kumar. "Secure key issuing scheme in ID-based cryptography with revocable ID." *Information Security Journal: A Global Perspective* 31, no. 6 (2022): 676-685.
- [8]. Ranjit, P. S., P. K. Sharma, and M. Saxena. "Experimental investigations on influence of gaseous hydrogen (GH<sub>2</sub>) supplementation in in-direct injection (IDI) compression ignition engine fuelled with Pre-Heated Straight Vegetable Oil (PHSVO)." *International Journal of Scientific & Engineering Reserach (IJSER)* 5, no. 10 (2014).
- [9]. Mishra, Amit Kumar, and Ajay Kumar Saxena. "Data mining technology and its applications to power systems." *International Journal of Computer Applications* 131, no. 8 (2015).
- [10]. Fitriasari, Novi Sofia, SyifaAfifahFitriani, and Rosa ArianiSukamto. "Comparison of weighted product method and technique for order preference by similarity to ideal solution method: Complexity and accuracy." In *2017 3rd International Conference on Science in Information Technology (ICSITech)*, pp. 453-458. IEEE, 2017.
- [11]. Divayana, D. G. H., A. Adiarta, and I. B. G. S. Abadi. "Initial draft of CSE-UCLA evaluation model based on weighted product in order to optimize digital library services in computer college in Bali." In *IOP Conference Series: Materials Science and Engineering*, vol. 296, no. 1, p. 012003. IOP Publishing, 2018.
- [12]. Listyaningsih, Vickky, HendraSetiawan, EkoSudrajat, and Ryan PutrandaKristianto. "DssPemilihanPenerimaBantuanPerbaikanRumahDenganMetode WEIGHTED PRODUCT." *SEMNASTEKNOMEDIA ONLINE* 5, no. 1 (2017): 3-5.
- [13]. Rathore, monika, deepak vyas, tulika chakrabarti, archana gajbhiye, and mahendra singh rathore. "chemical and statical study of chlorinated pesticides and biofertilizer on growth parameters of cotton cultivation from different villages of nagaur district in rajsthan (india)."
- [14]. C Sukumaran, M Ramachandran, Vimala Saravanan, Sathiyaraj Chinnasamy. "An Empirical study of Brand Marketing Using TOPSIS MCDM Method.", *REST Journal on Banking, Accounting and Business* 1, no. 1 (2022):10-18.

- [15]. Barua, Kuntal, Prasun Chakrabarti, Avinash Panwar, and Amrit Ghosh. "A Predictive Analytical Model in Education Scenario based on Critical Thinking using WEKA." *Int. J. Technol. Res. Manag* 5 (2018).
- [16]. Rathor, Ketan, Sushant Lenka, Kartik A. Pandya, B. S. Gokulakrishna, Susheel Sriram Ananthan, and Zoheib Tufail Khan. "A Detailed View on industrial Safety and Health Analytics using Machine Learning Hybrid Ensemble Techniques." In *2022 International Conference on Edge Computing and Applications (ICECAA)*, pp. 1166-1169. IEEE, 2022.
- [17]. Kumar Pandey, Rakesh, Anil Kumar, Ajay Mandal, and Behzad Vaferi. "Employing deep learning neural networks for characterizing dual-porosity reservoirs based on pressure transient tests." *Journal of Energy Resources Technology* 144, no. 11 (2022): 113002.
- [18]. Krishna Kumar, T. P., M. Ramachandran, and Sathiyaraj Chinnasamy. "Exploring Various Applications of Block Chain Technology." *Recent trends in Management and Commerce* 1, no. 1 (2020): 92-96.
- [19]. Ranjit, P. S., Santosh Kumar Dash, and Vinjamuri Venkata Kamesh. "Experimental investigation on influence of injection pressure on gaseous hydrogen supplemented SVO operated IDI CI engine." *Materials Today: Proceedings* 43 (2021): 281-286.
- [20]. Sharma, Bhisham, Deepika Koundal, and Raman Singh. "Guest editorial:: Introduction to the Special Section on Load Balancing of Sensory Data for IoT Deep Learning Applications with Edge/Fog Computing (VSI-Ibdl)." (2021).
- [21]. Khan, Hera, Ayush Srivastav, and Amit Kumar Mishra. "Estimation of Permeability of a Reservoir using Deep Learning Algorithms on Well Logs." In *Proceedings of 2nd International Conference on Advanced Computing and Software Engineering (ICACSE)*. 2019.
- [22]. Khairina, Dyna Marisa, Muhammad ReskiAsrian, and HelizaRahmaniaHatta. "Decision support system for new employee recruitment using weighted product method." In *2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*, pp. 297-301. IEEE, 2016.
- [23]. Boltürk, Eda, Ali Karaşan, and CengizKahraman. "Simple additive weighting and weighted product methods using neutrosophic sets." In *Fuzzy Multi-criteria Decision-Making Using Neutrosophic Sets*, pp. 647-676. Springer, Cham, 2019.
- [24]. Das, Bijoy, SumanSankarBhunia, Sarbani Roy, and Nandini Mukherjee. "Multi criteria routing in wireless sensor network using weighted product model and relative rating." In *2015 Applications and Innovations in Mobile Computing (AIMoC)*, pp. 132-136. IEEE, 2015.
- [25]. Tzeng, Gwo-Hshiung, Cheng-Hsin Chiang, and Chung-Wei Li. "Evaluating intertwined effects in e-learning programs: A novel hybrid MCDM model based on factor analysis and DEMATEL." *Expert systems with Applications* 32, no. 4 (2007): 1028-1044.
- [26]. Patnaik, Prabina Kumar, Priyadarshi Tapas Ranjan Swain, Srimant Kumar Mishra, Abhilash Purohit, and Sandhyarani Biswas. "Composite material selection for structural applications based on AHP-MOORA approach." *Materials Today: Proceedings* 33 (2020): 5659-5663.
- [27]. Chakrabarti, Prasun, Tulika Chakrabarti, Mayank Sharma, Divyanshu Atre, and K. Baba Pai. "Quantification of Thought Analysis of Alcohol-Addicted Persons and Memory Loss of Patients Suffering from Stage 4 Liver Cancer." In *Soft Computing: Theories and Applications: Proceedings of SoCTA 2018*, pp. 1099-1105. Springer Singapore, 2020.
- [28]. C. Sukumaran, M. Ramachandran, Chinnasami Sivaji, Manjula Selvam. "Ranking of Product in E-store using WASPAS method", *REST Journal on Banking, Accounting and Business* 1, no. 1 (2022):1-9.
- [29]. Kothi, Nakshatra, Pradeep Laxkar, Sandeep Chaurasia, and Prasun Chakrabarti. "A Novel Approach to Design Extended LFU Page Replacement Algorithm." *International Journal of Advanced Science and Technology* 28, no. 20 (2019): 718-726.
- [30]. Rathor, Ketan, Keyur Patil, Mandiga Sahasra Sai Tarun, Shashwat Nikam, Devanshi Patel, and Sasanapuri Ranjit. "A Novel and Efficient Method to Detect the Face Coverings to Ensure the Safety using Comparison Analysis." In *2022 International Conference on Edge Computing and Applications (ICECAA)*, pp. 1664-1667. IEEE, 2022.
- [31]. Kumar, Anil, Rajabov Sherzod Umurzoqovich, Nguyen Duc Duong, Pratik Kanani, Arulmani Kuppusamy, M. Praneesh, and Minh Ngyen Hieu. "An intrusion identification and prevention for cloud computing: From the perspective of deep learning." *Optik* 270 (2022): 170044.
- [32]. Krishna Kumar, T. P., M. Ramachandran, and Vimala Saravanan. "Candidate Selection for a Project Using Weight Sum Method." *Data Analytics and Artificial Intelligence* 1, no. 1 (2021): 53-59.
- [33]. Jain, Rishabh, and P. S. Ranjit. "Design of a Drivetrain for Sae Baja Racing Off-Road Vehicle." *International Journal of Advanced Engineering, Management and Science* 1, no. 4 (2015): 27-35.
- [34]. Singh, Sartajvir, Vishakha Sood, and Bhisham Sharma. "Systematic survey of compression algorithms in medical imaging." In *Advances in Computational Techniques for Biomedical Image Analysis*, pp. 205-230. Academic Press, 2020.
- [35]. Pandey, Harshita, Amit Kumar Mishra, and Dr Narendra Kumar. "Various aspects of sentiment analysis: a review." In *Proceedings of 2nd International Conference on Advanced Computing and Software Engineering (ICACSE)*. 2019.
- [36]. Tomblin, John S., John D. Tauriello, and Sean P. Doyle. "A composite material qualification method that results in cost, time and risk reduction." *JOURNAL OF ADVANCED MATERIALS-COVINA-* 34, no. 4 (2002): 41-51.

- [37]. Mastura, M. T., S. M. Sapuan, M. R. Mansor, and A. A. Nuraini. "Environmentally conscious hybrid bio-composite material selection for automotive anti-roll bar." *The International Journal of Advanced Manufacturing Technology* 89, no. 5 (2017): 2203-2219.
- [38]. Ke, Jun, Zhen-yu Wu, Xiao-ying Chen, and Zhi-ping Ying. "A review on material selection, design method and performance investigation of composite leaf springs." *Composite Structures* 226 (2019): 111277.
- [39]. Deepa, N., Asmat Parveen, Anjum Khurshid, M. Ramachandran, C. Sathiyaraj, and C. Vimala. "A study on issues and preventive measures taken to control Covid-19." In *AIP Conference Proceedings*, vol. 2393, no. 1, p. 020226. AIP Publishing LLC, 2022.
- [40]. Hambali, A., S. M. Sapuan, N. Ismail, and Y. Nukman. "Material selection of polymeric composite automotive bumper beam using analytical hierarchy process." *Journal of Central South University of Technology* 17, no. 2 (2010): 244-256.
- [41]. Soares, Giselle A., Tanima Bhattacharya, Tulika Chakrabarti, Priti Tagde, and Simona Cavalu. "Exploring pharmacological mechanisms of essential oils on the central nervous system." *Plants* 11, no. 1 (2022): 21.
- [42]. Sukumaran, C., D. Selvam, M. Sankar, V. Parthiban, and C. Sugumar. "Application of Artificial Intelligence and Machine Learning to Predict Basketball Match Outcomes: A Systematic Review." *Computer Integrated Manufacturing Systems* 28, no. 11 (2022): 998-1009.
- [43]. Chaudhuri, Avijit Kumar, Arkadip Ray, Anirban Das, Prasun Chakrabarti, and Dilip K. Banerjee. "Early Detection of Cardiovascular Disease in Patients with Chronic Kidney Disease using Data Mining Techniques." *Asian Journal For Convergence In Technology (AJCT) ISSN-2350-1146* 6, no. 3 (2020): 65-76.
- [44]. Manjunath, C. R., Ketan Rathor, Nandini Kulkarni, Prashant Pandurang Patil, Manoj S. Patil, and Jasdeep Singh. "Cloud Based DDOS Attack Detection Using Machine Learning Architectures: Understanding the Potential for Scientific Applications." *International Journal of Intelligent Systems and Applications in Engineering* 10, no. 2s (2022): 268-271.
- [45]. Mansour, Romany F., Eatedal Alabdulkreem, Heba F. Eid, K. Sathishkumar, Mohd Abdul Rahim Khan, and Anil Kumar. "Fuzzy logic based on-line fault detection and classification method of substation equipment based on convolutional probabilistic neural network with discrete wavelet transform and fuzzy interference." *Optik* 270 (2022): 169956.
- [46]. Krishna Kumar, T. P., M. Ramachandran, and Sathiyaraj Chinnasamy. "Investigation of Public Transportation System Using MOORA Method." *REST Journal on Emerging trends in Modelling and Manufacturing* 6, no. 4 (2020): 124-129.
- [47]. Ranjit, P. S., and Mukesh Saxena. "A review on hydrogen utilization in internal combustion compression ignition engines." *International J of Science Technology & Management* 3, no. 2 (2012).
- [48]. Sharma, Monika, Bhisham Sharma, and Trilok C. Aseri. "A Technical Study of Transport Layer Protocols in Wireless Sensor Network." *International Journal of Computer Applications* 90, no. 13 (2014).
- [49]. Paliwal, Shweta, Vishal Bharti, and Amit Kumar Mishra. "Ai chatbots: Transforming the digital world." *Recent Trends and Advances in Artificial Intelligence and Internet of Things* (2020): 455-482.
- [50]. Drummond, James L. "Degradation, fatigue, and failure of resin dental composite materials." *Journal of dental research* 87, no. 8 (2008): 710-719.
- [51]. Venkateswaran, C., D. R. Pallavi, M. Ramachandran, Vimala Saravanan, and Vidhya Prasanth. "A Review on Promethee and Analytic Hierarchy Process with Its Application." *Data Analytics and Artificial Intelligence* 2, no. 1 (2022): 34-39.
- [52]. Yang, S. Y., I. N. Tansel, and C. V. Kropas-Hughes. "Selection of optimal material and operating conditions in composite manufacturing. Part I: computational tool." *International Journal of Machine Tools and Manufacture* 43, no. 2 (2003): 169-173.
- [53]. Bruyneel, Michael. "SFP—a new parameterization based on shape functions for optimal material selection: application to conventional composite plies." *Structural and Multidisciplinary Optimization* 43, no. 1 (2011): 17-27.
- [54]. Fegade, Vishal, Krishnakumar Gupta, M. Ramachandran, S. Madhu, C. Sathiyaraj, R. Kurinji alar, and M. Amudha. "A study on various fire retardant additives used for fire reinforced polymeric composites." In *AIP Conference Proceedings*, vol. 2393, no. 1, p. 020107. AIP Publishing LLC, 2022.
- [55]. Davoodi, M. M., S. M. Sapuan, D. Ahmad, A. Aidy, A. Khalina, and Mehdi Jonoobi. "Concept selection of car bumper beam with developed hybrid bio-composite material." *Materials & Design* 32, no. 10 (2011): 4857-4865.
- [56]. Theotokoglou, Efstathios E., and Georgios A. Balokas. "Computational analysis and material selection in cross-section of a composite wind turbine blade." *Journal of Reinforced Plastics and Composites* 34, no. 2 (2015): 101-115.
- [57]. Verma, Ritik, Kunal N. Gohrani, Anirban Mitra, Anirban Das, Tulika Chakrabarti, and Prasun Chakrabarti. "A computing-based system developed on approaches and strategies to analyze share values for trading intentions in the Stock Market Domain." *Indian Copyright (Registered). D 13056* (2021).
- [58]. Goyal, Sarthak, Alka Chaudhary, and Anil Kumar. "Cloud Operating Systems: Analysis and Problems." In *2022 10th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions)(ICRITO)*, pp. 1-5. IEEE, 2022.
- [59]. TP, Krishna Kumar, and M. Ramachandran. "Using a ELECTRE MCDM method for Software Testing Techniques." *REST Journal on Emerging trends in Modelling and Manufacturing*, 5(4) (2019): 87-95.

- [60]. Aseri, Bhisham Sharmal and Dr Trilok C. "A Comprehensive Review of Reliable Transport Layer Protocols and Research Issues for Wireless Sensor Networks." *IJCSES* 7, no. 2 (2013): 77-98.
- [61]. Gupta, Krishnakumar, Vishal Fegade, Jeevan Kittur, M. Ramachandran, S. Madhu, S. Chinnasami, and M. Amudha. "A review on effect of cooling rate in fiber reinforced polymeric composites." In *AIP Conference Proceedings*, vol. 2393, no. 1, p. 020106. AIP Publishing LLC, 2022.
- [62]. Zhang, Jie, Xiaoquan Cheng, XinGuo, JianwenBao, and Wenjun Huang. "Effect of environment conditions on adhesive properties and material selection in composite bonded joints." *International Journal of Adhesion and Adhesives* 96 (2020): 102302.
- [63]. Azman, M. A., M. R. M. Asyraf, A. Khalina, Michal Petrů, C. M. Ruzaidi, S. M. Sapuan, W. B. Wan Nik, M. R. Ishak, R. A. Ilyas, and M. J. Suriani. "Natural fiber reinforced composite material for product design: A short review." *Polymers* 13, no. 12 (2021): 1917.
- [64]. Vallbo, S. "Material selection considerations for polymer composite structures in naval ship applications." *Journal of Sandwich Structures & Materials* 7, no. 5 (2005): 413-429.
- [65]. Mamalis, A. G., M. Robinson, D. E. Manolakos, G. A. Demosthenous, M. B. Ioannidis, and J. Carruthers. "Crashworthy capability of composite material structures." *Composite structures* 37, no. 2 (1997): 109-134.