



REST Journal on Emerging trends in Modelling and Manufacturing

Vol: 9(1), March 2023

REST Publisher; ISSN: 2455 4537 (Online)

Website: <http://restpublisher.com/journals/jemm/>

DOI: <https://doi.org/10.46632/jemm/9/1/4>



Analysis of Blast Resistant Buildings using the WPM Method

* Sathiyaraj Chinnasay, M. Ramachandran, Vimala Sravanan

REST Labs, Kaveripattinam, Krishnagiri, Tamil Nadu, India.

*Corresponding Author Email: sathiyaraj@restlabs.in

Abstract: This research is architectural space in blast-resistant buildings Aims to determine status and its effective indicators. Explosion-proof structures are necessary to protect personnel from construction hazards created when personnel work in potentially explosive areas. Blast-proof buildings usually precast cast-in-place concrete or constructed of steel frosted steel frames are permanent structures. Suitable types of window glass and provides specific recommendations on contraindications. Incorporating blast-resistant glazing into its framing and it mentions the considerations involved in linking. Most notably, laminated glass and made of laminated glass Based on traditional window glass design methods for insulating glass Authors relatively to simplify the design of explosion-resistant glazing them offer a simple approach. Weighted Production Method (WPM) is less important than method and a more stringent method for penalizing computationally cheaper alternatives. It is dimensionless and the rank abnormality problem is not applicable to WPM. Option code of each alternative independent of other alternatives, more acceptable One can set the limit for the option code. Number of unnecessary handovers. Hence, for dynamic decision-making situations we recommend WPM as a better alternative than. Blast resistant building is alternatives are reconstruction capability (C1), implementation costs (C2), access to material supply (C3), maintenance costs (C4), environmental footprint (C5) and reduction of energy loss (C6). Evaluation Parameter is Brick Façade (A1), Stone Façade (A2), Coatings Cement Façade (A3) and Composite Façade (A4). In this type of analysis, WPM methods determine for the best solution to settlement, As a result, access to material supply (C3) is got the first rank whereas is reconstruction capability (C1) is having the lowest rank.

Keywords: MCDM, Brick Façade, Stone Façade, Coatings Cement Façade and Composite Façade

1. INTRODUCTION

The primary objective of blast-resistant glazing design is to protect occupants within or adjacent to a building subject to wind Burst pressure loading. To provide this protection, Explosion-proof glazing should not contribute to hazards associated with explosion. thereby resisting corrosion Performs polishing eliminating flying and falling shards of glass that remain in the frame after breakage. In most of its applications, Explosion-proof polishing air Never experience loading from burst pressure. Because of this, Explosion-proof glazing to perform economically sustainable polishing operations. To optimize blast-wave loading parameters, for designing blast-resistant structures Analytical tools are provided. These tools are justified by practicing engineers can be used to estimate the structural response with accuracy. Approximate expressions for accidental vapor-cloud-induced overpressure detonation bursts are derived. Various levels of damage classification have been proposed for use as a for explosion-proof buildings Basic design. Cost of the process described Low and can be used to improve Explosion-proof Design of buildings in industry. Modified to access blast resistant buildings A WPM-based algorithm for context-aware blast resistant buildings is proposed. A certain time Based on the user's status for the most influential criteria Based on sensitivity analysis of WPM we use weighted distribution method. In many decision problems it has been used successfully Based on comparison of WPM with TOPSIS our assessment is based on. WPM is simple and Early MCDM One of the techniques. It's almost similar to WSM; between the two methods the only difference is that Inclusion in WSM means the main mathematical function is, whereas multiplication in WPM is an important mathematical function. As with all MCDM methods, given limited decision-making alternatives; these alternatives are measured against several criteria.

2. BLAST RESISTANT BUILDINGS

The authors suggest using a mirror Blast-resistant glazing structures Air burst should break under pressure loading. Following a fracture, Flying and falling shards of glass Remove and close the fenestration Behavioral characteristics of post-fracture they must be trusted. Because the window for glass constructions with very low breaking loads to structural frame, over the entire building the designer should consider this approach desirable. Designer explosion-proof Glazing designs should be maintained and includes fenestrations and fragments whenever possible. Blast-resistant Performs these functions glazing can reduce damage Building contents and to increase safety for building occupants. In the following section Types of window glass and Discusses constructions and use as explosion-proof glaze evaluates their relevance. On the Burrup Peninsula of Western Australia, A \$A3.7 billion liquidation of the North-West Shelf currently under construction in a natural gas (LNG) plant Protection of critical equipment It is protected by installing several explosion-proof buildings. Plant operations, including storage tanks and ward connections: Essential for safe operations of the plant. In order to protect Eruptions or against fire, this equipment is built in steel shells in special reinforced buildings, it's control tools Integrity must be preserved to properly stop the outdoor plant operation. The designer should maintain blast-resistant glazing designs covering fenestrations and flying and remove the falling glass fragments whenever possible. Blast-resistant Performs these functions glazing can reduce damage to building contents and increase safety for building occupants. For these reasons, laminated glass or glass-encased polycarbonate makes excellent anti-explosion glazing materials. The following sections are window glass types and discuss constructions and assess their suitability for use as a blast-resistant glaze. The test or analysis validated proven structural redesigns or their explosive power can be increased with upgrades. Explosion-proof upgrades to existing structures many are discussed in public domain documents. By experienced engineers Explosive design for explosion-proof upgrades. Design of blast-proof retrofits to existing buildings is subject to a number of limiting factors that do not normally apply to the design of new explosion-proof buildings.

3. WEIGHT PRODUCT METHOD

Weighted Product Model (WPM) is Well known Multi-Criteria Decision Making (MCDM)/ Multi-Criteria Decision Analysis (MCDA) method. AHP is combined with Weight Product Method (WPM). The complexity of these methods not increase with AHP rate as the number of alternative websites increases. Weight Product Method (WPM) uses linguistic terms that are easy for users to understand and therefore, methods are considered easy to implement. Also, in the case of an evaluation involving several evaluators with no experience in implementation, Weight Product Method (WPM) seems to be more appropriate. However, Weight Product Method (WPM) as AHP does to calculate the weights of criteria Does not provide a specific route. All these information Taking into account, AHP can be successfully incorporated with Weight Product Method (WPM). Weighted Product Method (WPM). WPM is similar to WSM. The main difference is that Model instead of addition Includes multiplication. Each substitution by multiplying multiple ratios Compared to others, One for each criterion. to the relative weight of each ration corresponding quantity is raised to an equivalent power. Therefore, one-dimensional and In both multidimensional MCDM WPM can be used. These studies discuss UtUV under the Structure of age-specific WPMs. The WPMs No research has been conducted on UtUV. Considering the UtUV factor Age- and state-specific WPMs Based on the general structure WPM Designed to describe UtUV, Describe the variation in this in degradation rates between different units. The WPM method is most widely used in MCDM One of the methods. than other methods of problem solving This method is more efficient because less computation time. WPM is simple and easy to use in highly subjective cases. optimal route selection, Web activities like evaluation, production, selection of project manager WPM is used in many areas. Between WSM and WPM The maximum mean correlation is observed, also between WPM and TOPSIS Very little correlation is observed. The average of all these coefficients is WSM, WPM, ELECTRE and TOPSIS respectively indicates that there is a strong mean correlation.

4. ANALYSIS AND DICUSSION

Table 1, Figure 1 shows the data set for blast resistant building. Blast resistant building is alternatives are reconstruction capability (C1), implementation costs (C2), access to material supply (C3), maintenance costs (C4), environmental footprint (C5) and reduction of energy loss (C6). Evaluation Parameter is Brick Façade (A1), Stone Façade (A2), Coatings Cement Façade (A3) and Composite Façade (A4).

TABLE 1. Data set for Blast resistant Buildings

	Brick Façade (A1)	Stone Façade (A2)	Coatings Cement Façade (A3)	Composite Façade (A4)
Reconstruction capability (C1)	8.45	5.90	18.83	10.89
Implementation costs (C2)	7.98	12.19	10.98	13.90
Access to material supply (C3)	14.80	9.98	11.65	13.86
Maintenance costs (C4)	17.45	10.82	11.90	17.59
Environmental footprint (C5)	9.08	18.45	16.09	18.89
Reduction of energy loss (C6)	11.67	12.98	13.90	16.87




FIGURE 1. Data set for Blast Resistant Buildings

TABLE 2. Performance value

	Brick Façade (A1)	Stone Façade (A2)	Coatings Cement Façade (A3)	Composite Façade (A4)
Reconstruction capability (C1)	0.48424	0.31978	0.58311	1.00000
Implementation costs (C2)	0.45731	0.66070	1.00000	0.78345
Access to material supply (C3)	0.84814	0.54092	0.94249	0.78571
Maintenance costs (C4)	1.00000	0.58645	0.92269	0.61910
Environmental footprint (C5)	0.52034	1.00000	0.68241	0.57650
Reduction of energy loss (C6)	0.66877	0.70352	0.78993	0.64552

Table 2. Shows the performance value for blast resistant




FIGURE 2. Performance value

Figure 2 shows the performance value of blast resistant building for using weight product method.

TABLE 3. Weight

	Brick Façade (A1)	Stone Façade (A2)	Coatings Cement Façade (A3)	Composite Façade (A4)
Reconstruction capability (C1)	0.25	0.25	0.25	0.25
Implementation costs (C2)	0.25	0.25	0.25	0.25
Access to material supply (C3)	0.25	0.25	0.25	0.25
Maintenance costs (C4)	0.25	0.25	0.25	0.25
Environmental footprint (C5)	0.25	0.25	0.25	0.25
Reduction of energy loss (C6)	0.25	0.25	0.25	0.25

Table 3. Shows the blast resistant building weights are same.

TABLE 4. Weighted normalized decision matrix

	Brick Façade (A1)	Stone Façade (A2)	Coatings Cement Façade (A3)	Composite Façade (A4)
Reconstruction capability (C1)	0.83419	0.75199	0.87385	1.00000
Implementation costs (C2)	0.82234	0.90157	1.00000	0.94081
Access to material supply (C3)	0.95966	0.85760	0.98530	0.94149
Maintenance costs (C4)	1.00000	0.87510	0.98009	0.88703
Environmental footprint (C5)	0.84932	1.00000	0.90889	0.87136
Reduction of energy loss (C6)	0.90431	0.91584	0.94275	0.89635

The weighted normalized result matrix is presented in Table 4 for WPM method is presented in to blast resistant buildings.




FIGURE 3. Weighted normalized decision matrix

Figure 3 shows the weighted normalized decision matrix for blast resistant building.

TABLE 5. Preference Score and Rank

	Preference Score	Rank
reconstruction capability (C1)	0.54817	6
implementation costs (C2)	0.69752	4
access to material supply (C3)	0.76346	1
maintenance costs (C4)	0.76079	2
environmental footprint (C5)	0.67264	5
reduction of energy loss (C6)	0.69986	3




FIGURE 4. Preference Score

Table 5. Shows the Preference score and rank for blast resistant buildings. It received the top rank for reconstruction capability (C1) is sixth rank, implementation costs (C2) is fourth rank, access to material supply (C3) is first rank, maintenance costs (C4) is second rank, environmental footprint (C5) is fifth rank and reduction of energy loss (C6) is third rank.

Figure 4. Showing the priority score of blast resistant buildings. Reconstruction efficiency (C1) is first, processing costs (C2) are second, Access to material supply (C3) is fifth, maintenance costs (C4) is sixth, environmental footprint (C5) is third, and reducing energy loss (C6) is fourth.




FIGURE 5. Rank

Figure 5. Shows the classification of explosion-proof buildings. It received the top rank for access to material supply (C3), with the lowest rank for reconstruction capacity (C1).

5. CONCLUSION

As a result of frequent terrorist incidents around the world, the Analysis of blast-resistant structures it has become a worrying process. However, due to the classification of military technology, governing the design of civil blast-resistant structures there aren't many established standards or practices. As expensive and unreliable as model tests are, numerical simulation becomes indispensable in understanding the complex response of underground structures subjected to buried blasting. Explosion-proof buildings should be designed and constructed to provide adequate protection For workers in hazardous areas. Results are compared with ranking WPM due to the use of four methods of normalization. In general, TOPSIS has a different tendency to select the best alternatives from WPM, although some alternatives are commonly selected by both methods, Comparison of obtained absolute ranking of cutting fluid obtained by Tiwari and Sharma (2015) using SAW and WPM methods. A good correlation is observed between the ranking list obtained by ROV, SAW and WPM methods. This indicates that WPM is very little affected by the Method of weighing. Compared to other MADM methods, WPM provides more stable Ranking regardless of weighting method. The weight product method (WPM) determines the best solution it is evident from the results access to material supply (C3) is got the first rank whereas is reconstruction capability (C1) is having the lowest rank.

REFERENCES

- [1]. Bedair, Osama. "Economical damage classification approach for blast-resistant buildings in petrochemical plants." Practice Periodical on Structural Design and Construction 25, no. 3 (2020): 04020020.
- [2]. Harrison, Ben F. "Blast resistant modular buildings for the petroleum and chemical processing industries." Journal of hazardous materials 104, no. 1-3 (2003): 31-38.

- [3]. Summers, Paul B. "Design of modular blast-resistant steel-framed buildings in petrochemical facilities." In Structures Congress 2008: Crossing Borders, pp. 1-7. 2008.
- [4]. Palanimuthu, Kogila, Birhanu Gutu, Leta Tesfaye, BuliYohannis Tasisa, Yoseph Shiferaw Belayneh, Melkamu Tamiru, and Desalegn Shiferaw. "Assessment of Awareness on COVID-19 among Adults by Using an Online Platform: 26 Countries View." *Medico-legal Update* 21, no. 1 (2021).
- [5]. Singh, Jitendra Pratap, and Anindya Roy. "Thickness of concrete and steel front wall claddings for various blast pressure in blast resistant buildings." In SPE Kuwait Oil and Gas Show and Conference. OnePetro, 2015.
- [6]. Baker, D. D. "Advanced Analysis Topics for Blast Resistant Buildings in Petrochemical Facilities [C]." American Society of civil Engineers. Structures (2008).
- [7]. Oswald, Charles J. "Update to response criteria for blast resistant buildings in petrochemical facilities." In Structures Congress 2008: Crossing Borders, pp. 1-8. 2008.
- [8]. Sharma, Bhisham, and Deepika Koundal. "Cattle health monitoring system using wireless sensor network: a survey from innovation perspective." *IET Wireless Sensor Systems* 8, no. 4 (2018): 143-151.
- [9]. Goswami, Chandrashekhar, and Rahul Shahane. "Transport Control Protocol (TCP) enhancement over wireless environment: Issues and challenges." In 2017 International Conference on Inventive Computing and Informatics (ICICI), pp. 742-749. IEEE, 2017.
- [10]. Samara, Mufid F. "Nonstructural Considerations in Design of Blast-Resistant Buildings." *Practice Periodical on Structural Design and Construction* 3, no. 4 (1998): 172-175.
- [11]. Morrill, K. B., L. J. Malvar, J. E. Crawford, and J. M. Ferritto. "Blast resistant design and retrofit of reinforced concrete columns and walls." In Structures 2004: Building on the Past, Securing the Future, pp. 1-8. 2004.
- [12]. B. Mago, K. Ishaq Almaazmi, A. Jafar Almaazmi, K. Mohammed Falaha, and E. Dahi Almidfaa, "Modeling Situational IT Ethics in UAE", *IJGASR*, vol. 1, no. 2, pp. 21–35, Jun. 2022.
- [13]. Aswini, S., S. Tharaniya, RJ Joey Persul, B. Avinash Lingam, and P. Kogila. "Assessment of Knowledge, Attitude and Practice on Immunization among Primi Mothers of Children." *Indian Journal of Public Health Research & Development* 11, no. 3 (2020): 583-587.
- [14]. Rathor, Ketan, Anshul Mandawat, Kartik A. Pandya, Bhanu Teja, Falak Khan, and Zoheib Tufail Khan. "Management of Shipment Content using Novel Practices of Supply Chain Management and Big Data Analytics." In 2022 International Conference on Augmented Intelligence and Sustainable Systems (ICAISS), pp. 884-887. IEEE, 2022.
- [15]. Ramesh, G., Karanam Madhavi, P. Dileep Kumar Reddy, J. Somasekar, and Joseph Tan. "WITHDRAWN: Improving the accuracy of heart attack risk prediction based on information gain feature selection technique." (2021).
- [16]. Salomoni, V. A., G. Mazzucco, G. Xotta, R. Fincato, C. E. Majorana, and M. Schiavon. "Nonlinear modelling, design, and test of steel blast-resistant doors." *Advances in Mechanical Engineering* 5 (2013): 908373.
- [17]. Alsubai, Shtwai, Ashit Kumar Dutta, Ahmed Hussein Alkhayyat, Mustafa Musa Jaber, Ali Hashim Abbas, and Anil Kumar. "Hybrid deep learning with improved Salp swarm optimization based multi-class grape disease classification model." *Computers and Electrical Engineering* 108 (2023): 108733.
- [18]. Sielicki, P. W., T. Lodygowski, H. Al-Rifaie, and W. Sumelka. "Designing of blast resistant lightweight elevation system-numerical study." *Procedia Engineering* 172 (2017): 991-998.
- [19]. Soni, Rajkumar, Prasun Chakrabarti, Zbigniew Leonowicz, Michał Jasiński, Krzysztof Wieczorek, and Vadim Bolshev. "Estimation of life cycle of distribution transformer in context to furan content formation, pollution index, and dielectric strength." *IEEE Access* 9 (2021): 37456-37465.
- [20]. T. Naresh Babu, M. Ramachandran, Sathiyaraj Chinnasamy, Ashwini Murugan, "The Evaluation of Third-party Logistics Services Using Complex Proportional Assessment", *REST Journal on Banking, Accounting and Business*, 1(1), (2022):14-22.
- [21]. Bai, Yongzhong, Baoquan Xin, Jianliang Yu, Wenyi Dang, Xingqing Yan, and Anfeng Yu. "Risk-based quantitative method for determining blast-resistant and defense loads of petrochemical buildings." *Journal of Loss Prevention in the Process Industries* 70 (2021): 104407.
- [22]. Stewart, Mark G., and Jun Li. "Risk-based assessment of blast-resistant design of ultra-high performance concrete columns." *Structural Safety* 88 (2021): 102030.
- [23]. Rathor, Ketan, Sushant Lenka, Kartik A. Pandya, B. S. Gokulakrishna, Susheel Sriram Ananthan, and Zoheib Tufail Khan. "A Detailed View on industrial Safety and Health Analytics using Machine Learning Hybrid Ensemble Techniques." In 2022 International Conference on Edge Computing and Applications (ICECAA), pp. 1166-1169. IEEE, 2022.
- [24]. Manjunath, C. R., Ketan Rathor, Nandini Kulkarni, Prashant Pandurang Patil, Manoj S. Patil, and Jasdeep Singh. "Cloud Based DDOS Attack Detection Using Machine Learning Architectures: Understanding the Potential for Scientific Applications." *International Journal of Intelligent Systems and Applications in Engineering* 10, no. 2s (2022): 268-271.

-
- [25]. Bounds, William L. "General Update of the ASCE Report: Design of Blast Resistant Buildings in Petrochemical Facilities." In Structures Congress 2008: Crossing Borders, pp. 1-4. 2008.
- [26]. Goswami, Chandrashekhar, and Parveen Sultanah. "A Study on Cross-Layer TCP Performance in Wireless Ad Hoc Network." In International Conference on Intelligent Data Communication Technologies and Internet of Things (ICICI) 2018, pp. 56-70. Springer International Publishing, 2019.
- [27]. Ishwar Rama Pavaskar, M. Ramachandran, Sathiyaraj Chinnasamy, Prabakaran Nanjundan, "International Business Management using Weighted Sum Method (WSM) Method", REST Journal on Banking, Accounting and Business, 1(4), (2022):23-30.
- [28]. Summers, Paul B., Guzha Li, and Zonglei Mu. "Evaluation and Design of Blast-Resistant Buildings at Refineries and Petrochemical Facilities." In AEI 2017, pp. 537-548.
- [29]. Dogra, Roopali, Shalli Rani, and Bhisham Sharma. "A review to forest fires and its detection techniques using wireless sensor network." In Advances in Communication and Computational Technology: Select Proceedings of ICACCT 2019, pp. 1339-1350. Springer Singapore, 2021.
- [30]. Jisha, L., P. Jayaprabha, S. Gnanawel, K. Gowtham Kumar, and P. Kogila. "Assessment of the Prevalence of Febrile Seizure and Associated Factors among Children: A Retrospective Study." EXECUTIVE EDITOR 11, no. 03 (2020): 3179.
- [31]. Mannar, B. Raja. "The financial crisis in Sweden: The causes, consequences and recovery." Saudi Journal of Business and Management Studies 2 (2017): 1031-1035.
- [32]. Fulmare, Nilima Salankar, Prasun Chakrabarti, and Divakar Yadav. "Understanding and estimation of emotional expression using acoustic analysis of natural speech." International Journal on Natural Language Computing (IJNLC) 2, no. 4 (2013): 37-46.
- [33]. Meng, Fanmao, Bei Zhang, Zheng Zhao, Ying Xu, Hualin Fan, and Fengnian Jin. "A novel all-composite blast-resistant door structure with hierarchical stiffeners." Composite Structures 148 (2016): 113-126.
- [34]. Krishna Kumar TP, M. Ramachandran, Kurinjimalar Ramu, Ashwini Murugan, "Analysis of Reverse Logistics System using COPRAS MCDM Method", REST Journal on Banking, Accounting and Business, 1(4), (2022):31-37.
- [35]. B. Mago, A. Abdullahi Aideed, H. Salim Al Ali, S. Saeed Alnuaimi, and F. Rashid Al Qahtani, "Ethical Decision Making in Soft lifting-A UAE Based Case Study", IJGASR, vol. 1, no. 2, pp. 7-20, Jun. 2022.
- [36]. Pilehchianlangroodi, Behzad, Alireza Mirnezami, and Abbas Ali Zakeri. "Utilizing Front Wall of Blast Resistant Building as an Entrance Fuse of Energy." In Structures Congress 2008: Crossing Borders, pp. 1-10. 2008.
- [37]. Turnell, C., N. W. Murray, and I. D. Bennetts. "Blast-resistant buildings for Australia's North-West shelf liquid natural gas plant." Thin-Walled Structures 9, no. 1-4 (1990): 175-197.
- [38]. Kumar, Rakesh, Neha Grover, Rajesh Singh, Samta Kathuria, Anil Kumar, and Aditi Bansal. "Imperative Role of Artificial Intelligence and Big Data in Finance and Banking Sector." In 2023 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS), pp. 523-527. IEEE, 2023.
- [39]. Stephen, M. James, and Prasad Reddy. "Enhancing fingerprint image through ridge orientation with neural network approach and ternarization for effective minutiae extraction." International Journal of Machine Learning and Computing 2, no. 4 (2012): 397.
- [40]. Rathor, Ketan, Keyur Patil, Mandiga Sahasra Sai Tarun, Shashwat Nikam, Devanshi Patel, and Sasanapuri Ranjit. "A Novel and Efficient Method to Detect the Face Coverings to Ensure the Safety using Comparison Analysis." In 2022 International Conference on Edge Computing and Applications (ICECAA), pp. 1664-1667. IEEE, 2022.
- [41]. Temburne, S., C. M. Goswami, and S. V. Deshmukh. "An Improvement In Cloud Data Security That Uses Data Mining." International Journal of Advanced Research in Computer Engineering & Technology 4 (2015): 2044-2049.
- [42]. Palanimuthu, Kogila, Eshetu Fikadu Hamba Yigazu, Gemechu Gelalcha, Yirgalem Bekele, Getachew Birhanu, and Birhanu Gutu. "Assessment of Stress, Fear, Anxiety and Depression on COVID-19 Outbreak among Adults in South-Western Ethiopia." Prof.(Dr) RK Sharma 21, no. 1 (2021): 440.
- [43]. Cole, David, Raymond H. Bennett, Deron Austin, and Matthew T. Edel. "Protecting essential refining operations using blast-resistant electrical equipment shelters." IEEE Transactions on Industry Applications 46, no. 4 (2010): 1311-1320.
- [44]. Chandran Subramani, Sathiyaraj Chinnasamy, Ashwini Murugan, Chandrasekar Raja. "Composite Material Selection for Structural Applications Using WPM Method." Journal on Materials and its Characterization, 1(2), (2022):1-8.
- [45]. N. Valecha, "A Study on Importance of Ethical Responsibilities in HR Management", IJGASR, vol. 1, no. 1, pp. 13-22, Feb. 2022.
- [46]. Kamali, Ali-Mohammad, Milad Kazemiha, Behnam Keshtkarhesamabadi, Mohsan Daneshvari, Asadollah Zarifkar, Prasun Chakrabarti, Babak Kateb, and Mohammad Nami. "Simultaneous transcranial and transcutaneous

- spinal direct current stimulation to enhance athletic performance outcome in experienced boxers." *Scientific Reports* 11, no. 1 (2021): 19722.
- [47].Badur, Raja Mannar, Rosario Cano Garcia, and Janet Casta. "Challenges of Thai L2 Students Learning Business Courses: Implications to Content-Based Teaching Pedagogy." Available at SSRN 3031710 (2017).
- [48].Olmati, Pierluigi, Patrick Trasborg, Clay Naito, and Franco Bontempi. "Blast resistant design of precast reinforced concrete walls for strategic infrastructures under uncertainty." *Int. J. Crit. Infrastructures* 11, no. 3 (2015): 197-212.
- [49].Gusain, Akshita, Tilottama Singh, Shweta Pandey, Vikrant Pachourui, Rajesh Singh, and Anil Kumar. "E-Recruitment using Artificial Intelligence as Preventive Measures." In *2023 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS)*, pp. 516-522. IEEE, 2023.
- [50].Balusa, Bhanu Chander, and Jayanthu Singam. "Underground mining method selection using WPM and PROMETHEE." *Journal of the Institution of Engineers (India): Series D* 99, no. 1 (2018): 165-171.
- [51].Kumar, Mukesh, Karan Bajaj, Bhisham Sharma, and Sushil Narang. "A Comparative Performance Assessment of Optimized Multilevel Ensemble Learning Model with Existing Classifier Models." *Big Data* 10, no. 5 (2022): 371-387.
- [52].Kabassi, Katerina, Christos Karydis, and Athanasios Botonis. "Ahp, fuzzy saw, and fuzzy wpm for the evaluation of cultural websites." *Multimodal Technologies and Interaction* 4, no. 1 (2020): 5.
- [53].Rana, Shilpesh C., and Jayantilal N. Patel. "Selection of best location for small hydro power project using AHP, WPM and TOPSIS methods." *ISH journal of hydraulic engineering* 26, no. 2 (2020): 173-178.
- [54].Alam, Khubaib Amjad, Rodina Ahmed, Faisal Shafique Butt, Soon-Gohn Kim, and Kwang-Man Ko. "An uncertainty-aware integrated fuzzy AHP-WASPAS model to evaluate public cloud computing services." *Procedia computer science* 130 (2018): 504-509.
- [55].P.K. Chidambaram, Chinnasami Sivaji, Ashwini Murugan, M. Ramachandran. "Performance Analysis of Materials Selection Using Weighted Product Method (WPM)." *Journal on Materials and its Characterization* 1(1), (2022):38-45.
- [56].Sukumaran, C., D. Selvam, M. Sankar, V. Parthiban, and C. Sugumar. "Application of Artificial Intelligence and Machine Learning to Predict Basketball Match Outcomes: A Systematic Review." *Computer Integrated Manufacturing Systems* 28, no. 11 (2022): 998-1009.
- [57].Sinha, Ashish Kumar, Ananda Shankar Hati, Mohamed Benbouzid, and Prasun Chakrabarti. "ANN-based pattern recognition for induction motor broken rotor bar monitoring under supply frequency regulation." *Machines* 9, no. 5 (2021): 87.
- [58].Mannar, B. "Corporate governance: Bibliography of unclassified literature." *International Journal of Applied Research* 2, no. 4 (2016): 484-496.
- [59].Goswami, Chandrashekhar, and Parveen Sultana. "Adaptive Congestion control approach by using Cross-Layer technique in Mobile Ad-Hoc Network." *Solid State Technology* 63, no. 6 (2020): 5069-5091.
- [60].Ramu, Gandikota, P. Dileep Kumar Reddy, and Appawala Jayanthi. "A survey of precision medicine strategy using cognitive computing." *International Journal of Machine Learning and Computing* 8, no. 6 (2018): 530-535.
- [61].R. Rathore, "A Review on Study of application of queueing models in Hospital sector", *IJGASR*, vol. 1, no. 2, pp. 1-6, Jun. 2022.
- [62].Karande, P., E. Zavadskas, and Shankar Chakraborty. "A study on the ranking performance of some MCDM methods for industrial robot selection problems." *International Journal of Industrial Engineering Computations* 7, no. 3 (2016): 399-422.
- [63].Goswami, Chandrashekhar, Ramakrishnan Raman, Biju G. Pillai, Rajesh Singh, Basava Dhanne, and Dhiraj Kapila. "Implementation of a Machine Learning-based Trust Management System in Social Internet of Things." In *2022 5th International Conference on Contemporary Computing and Informatics (IC3I)*, pp. 1586-1590. IEEE, 2022.
- [64].Kumar, Vivek, Kapil Joshi, Puneet Kanti, Jagdeep Singh Reshi, Gunjan Rawat, and Anil Kumar. "Brain Tumor Diagnosis using Image Fusion and Deep Learning." In *2023 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS)*, pp. 1658-1662. IEEE, 2023.
- [65].Dashore, Kshitij, Shashank Singh Pawar, Nagendra Sohani, and Devendra Singh Verma. "Product evaluation using entropy and multi criteria decision making methods." *International Journal of Engineering Trends and Technology (IJETT)* 4, no. 5 (2013): 2183-2187.
- [66].Bajaj, Karan, Bhisham Sharma, and Raman Singh. "Integration of WSN with IoT applications: a vision, architecture, and future challenges." *Integration of WSN and IoT for Smart Cities* (2020): 79-102.
- [67].Zaidan, A. A., B. B. Zaidan, Muzammil Hussain, Ahmed Haiqi, ML Mat Kiah, and Mohamed Abdunabi. "Multi-criteria analysis for OS-EMR software selection problem: A comparative study." *Decision support systems* 78 (2015): 15-27.

-
- [68].P.K. Chidambaram, Kurinjimalar Ramu, M. Ramachandran, Chandrasekar Raja. "A Review on Composite Material Selection Using DEMATEL Method." *Journal on Materials and its Characterization* 1(1), (2022):28-37.
- [69].Manner, B. Raja, and B. Ramachandra Reddy. "Review and Performance of Select Mutual Funds Operated by Private Sector Banks: Axis Equity and Kotak 50 Funds-Growth Option." *International Journal of Innovative Research and Development* 1, no. 8 (2012): 323-333.
- [70].Pham Van, Tuan, Dung Vo Tien, Zbigniew Leonowicz, Michal Jasinski, Tomasz Sikorski, and Prasun Chakrabarti. "Online rotor and stator resistance estimation based on artificial neural network applied in sensorless induction motor drive." *Energies* 13, no. 18 (2020): 4946.
- [71].Sukumaran, C., B. Karpagavalli, R. Hariharan, and V. Parthiban. "Preclusive Strategies of Obesity to Lead a Healthy Life-A Review." *Pharmaceutical Sciences and Research* 1, no. 1 (2022): 42-45.
- [72].Chourabi, Zouhour, Faouzi Khedher, Amel Babay, and Morched Cheikhrouhou. "Multi-criteria decision making in workforce choice using AHP, WSM and WPM." *The Journal of The Textile Institute* 110, no. 7 (2019): 1092-1101.
- [73].Reddy, Ummadi Janardhan, Pandluri Dhanalakshmi, and Pallela Dileep Kumar Reddy. "Image Segmentation Technique Using SVM Classifier for Detection of Medical Disorders." *Ingénierie Des Systèmes D'information* 24, no. 2 (2019).
- [74].N. Valecha, "Transforming human resource management with HR analytics: A critical Analysis of Benefits and challenges", *IJGASR*, vol. 1, no. 2, pp. 56–66, Jun. 2022.
- [75].Li, Naipeng, Yaguo Lei, Tao Yan, Ningbo Li, and Tianyu Han. "A Wiener-process-model-based method for remaining useful life prediction considering unit-to-unit variability." *IEEE Transactions on Industrial Electronics* 66, no. 3 (2018): 2092-2101.
- [76].Khurana, Manju, Shivendra Shivani, Shailendra Tiwari, Bhisham Sharma, Mohammad S. Obaidat, and Kuei-Fang Hsiao. "Optimized Time Synchronized Multilayer MAC Protocol for WSN Using Relay Nodes." *Adhoc & Sensor Wireless Networks* 48 (2020).
- [77].Mannar, B. Raja, and P. Subramanyam. "Comparison and performance evaluation of IDFC mutual funds: Premier sector equity plan a & strategic sector 50–50 plan A (Growth option)." *ZENITH International Journal of Business Economics & Management Research* 3, no. 2 (2013): 16-30.
- [78].Sukumaran, C., and P. J. Sebastian. "Effect of Inclusive Games and Physical Exercises on Selected Physical Variables among the Intellectually Challenged Children." *Annals of the Romanian Society for Cell Biology* 26, no. 01 (2022): 1442-1450.
- [79].Chandran Subramani, M. Ramachandran, Chinnasami Sivaji, Kurinjimalar Ramu , "Environmental Impact Assessment of Using Decision Making trial and Evaluation Laboratory (DEMATEL) Method", *Journal on Materials and its Characterization*, 1(1), (2022):6-16.
- [80].R. Rathore, "A Study on Application of Stochastic Queuing Models for Control of Congestion and Crowding", *IJGASR*, vol. 1, no. 1, pp. 1–6, Feb. 2022.
- [81].Serrai, Walid, Abdelkrim Abdelli, Lynda Mokdad, and Ashref Serrai. "How to deal with QoS value constraints in MCDM based web service selection." *Concurrency and Computation: Practice and Experience* 31, no. 24 (2019): e4512.
- [82].Harirchian, Ehsan, Kirti Jadhav, Kifaytullah Mohammad, Seyed Ehsan Aghakouchaki Hosseini, and Tom Lahmer. "A comparative study of MCDM methods integrated with rapid visual seismic vulnerability assessment of existing RC structures." *Applied Sciences* 10, no. 18 (2020): 6411.
- [83].Mishra, Arunodaya Raj, Pratibha Rani, Kamal Raj Pardasani, and Abbas Mardani. "A novel hesitant fuzzy WASPAS method for assessment of green supplier problem based on exponential information measures." *Journal of Cleaner Production* 238 (2019): 117901.
- [84].Kumar, Singamaneni Kranthi, Pallela Dileep Kumar Reddy, Gajula Ramesh, and Venkata Rao Maddumala. "Image transformation technique using steganography methods using LWT technique." *Traitement du Signal* 36, no. 3 (2019): 233-237.
- [85].Mannar, B. Raja, and B. Ramachandra Reddy. "Overview and performance of select hdfc mutual funds: Equity fund and growth fund–Growth option." *Asian Journal of Research in Banking and Finance* 3, no. 1 (2013): 88-103.
- [86].D. Kaushik, "Role and Application of Artificial Intelligence in Business Analytics: A Critical Evaluation", *IJGASR*, vol. 1, no. 3, pp. 01–11, Oct. 2022.
- [87].Sukumaran, C., M. Ramachandran, Vimala Saravanan, and Sathiyaraj Chinnasamy. "An Empirical Study of Brand Marketing Using TOPSIS MCDM Method." *REST Journal on Banking, Accounting and Business* 1, no. 1 (2022): 10-18.
- [88].Sharma, Bhisham, and Trilok C. Aseri. "A comparative analysis of reliable and congestion-aware transport layer protocols for wireless sensor networks." *International Scholarly Research Notices* 2012 (2012).
-

- [89].Jain T, Jha R, Tiwari A, et al. (November 24, 2022) A Comparative Study to Evaluate the Anesthetic Efficacy of Buffered Versus Non-buffered 2% Lidocaine During Inferior Alveolar Nerve Block. *Cureus* 14(11): e31855. doi:10.7759/cureus.31855
- [90].Sarveshwar Kasarla, Vimala Saravanan, Vidhya Prasanth, Manjula Selvam, "The Influence of Thermoelectric Properties of Nanomaterial and Applications", *Journal on Materials and its Characterization*, 1(1), (2022):1-5.
- [91].Kumar, D. Sameer, and K. N. S. Suman. "Selection of magnesium alloy by MADM methods for automobile wheels." *International Journal of Engineering and Manufacturing* 2 (2014): 31-41.
- [92].Tuş, Ayşegül, and Esra Aytaç Adalı. "The new combination with CRITIC and WASPAS methods for the time and attendance software selection problem." *Opsearch* 56, no. 2 (2019): 528-538.
- [93].Singh, Satender Pal, Tithishri Kundu, Arnab Adhikari, and Sumanta Basu. "An integrated weighting-based modified WASPAS methodology for assessing patient satisfaction." In *2020 International Conference on Decision Aid Sciences and Application (DASA)*, pp. 592-596. IEEE, 2020.