Evaluation of Forensic Medical Examination using the DEMATEL Method

Sathiyaraj Chinnasamy, Manjula Selvem, M. Ramachandran, Chandrasekar Raja

REST Labs, Kaveripattinam, Krishnagiri, Tamil Nadu, India.
*Corresponding author Email: sathiyaraj@restlabs.in

Abstract: *Forensic medical examination is Searching for injuries and police to be used as evidence at trial Taking samples and A lawsuit following Sexual Assault Forensic Medicine The purpose of the test is to thevictim's Health needs assessment Treatment of any injuries When consolidating and prosecuting Gather resources for potential use trial (US Department of Justice, 2004, pp. 30-2). Because the body is the scene of the crime, testimony is time sensitive and may only last until the victim has showered, washed, and/or urinated. (1) Examination by a health care provider is recommended even if no injuries are seen. As a result of the attack, (2) the victim did not want to collect evidence, or (3) the attack was not recent. In these cases, the victim may have injuries that are not obvious or serious or have associated health concerns Forensics in the criminal justice system Science is an important part. Forensic scientists at crime scenes and sources from elsewhere study commonly murder in major criminal cases including impeachment Guilt or innocence Forensic Science as a Factor in Determining was used. Forensic Medicine or Forensics Pathology is a branch of forensic science that helps in finding the results of crime evidence. Visualize by applying clinical facts to the situation. Course subjects help individuals become proficient in identifying the cause and time of death and other details about the deceased DEMATEL (Decision Making Trial and Evaluation Laboratory) They are divided into analysis using the Forensic Medical Examination Assessment of the victim, Informed consent, Medical, and gynecological history, Assault history, and Physical top-to-toe examination It is the interaction between the factors Visualized and assesses dependent relationships Through the structural model Also deals with identifying important. Assessment of the victim, Informed consent, Medical, and gynecological history, Assault history, Physical top-to-toe examinationthe assessment of the victim got the first rank whereas the Informed consent number is having the lowest rank. Forensic Medical Examination. Assessment of the victim is got the first rank whereas the Armed consent number is having the Lowest Rank*
Keywords: MCDM, Assessment of the victim, Informed consent, Medical and gynecological history, Assault history, Physical top-to-toe examination.

1. INTRODUCTION

Forensic Examination Key to forensic examination victim of severe sexual assault Observation for experimental sexual assault and A skilled person with knowledge of psychological response They must be a skilled communicator. what How toch for Documenting Biological trace evidence and how the inventions Explaining explained in writing and they know that reporting want at Aarhus University in Forensic Medicine Experts to ensure impartiality of the tests carry out Necessary equipment and Exam Quiet with access In the system help should take place. From the victim's perspective, Immediate medical examination by a doctor is important Considered intervention, and to treat injuries Can, sexually transmitted infections, and pregnancy Assess risks and prevent them as needed. Trace The physician is also responsible for gathering evidence [1]. Medical examinations of torture victims, but this research analyzes and evaluates aims while in detention Medical for them regiment was conducted pa ocular examination. 36.4% of participants chose They said the police were in the room.13.6 Participation of notes

we were only relevant during the experiment They have said that it is the allotted time for the examination, not enough. Clinical trials lasted from 10 seconds to 10 minutes. Most participants were surveyed within five minutes [2]. The medical system, especially Absencethe e of circumstantial information from the place of death in case of sudden death. Small Traumatic hemothorax after trauma Bleeding is not necessarily indicated a thorough autopsy is necessary for pathological processes. Uncertain appearance Adjuvant in cases of hemothorax with Investigations and special autopsy A methodical approach with techniques Required and highly recommended [3]. A forensic scientist and physician Demonstrated sperm head penetration in their view that stuck MedicaDoctorm Doctor many-sided in offering A basic science A comment on the subject outside his direct field of expertise, and the forensic scientist may be too stubborn. Both were partial to their mentors. I don't think either of them would stand a professional test. met and told what they had told the court [4]. A medical examination was requested following part then of Justice for workplace violence Complaint to the auto authorities and police. Following the examinations, the forensic doctor covers descriptive aspects of the attack Writes a medical report Victim, results of a medical examination, such as traumatic injuries, and a description of psychiatric symptoms. Investigation of medical reports and the Judiciary Sent to police officers [5]. A clinical trial middle for victims of violence over an eleven-yr length in Germany contributes to a higher expertise of IPV in men. Male sufferers accounted for six.2% of IPV cases (n= 167) with an average age of 40 years. Seventy-eight. 4% of cases had been pronounced to the police before the scientific exam. In 60.5% of cases, the perpetrator changed present-day day associate, and 82% befell in home contexts with an excessive incidence of girl offenders. In extra than 1/2 of the instances (fifty seven.5%), victims approached the screening middle without previous healthcare use. One-third of sufferers stated previous IPV (31.7%). Findings establishing case organization-particular danger factors for IPV, injury-related conduct associated with health care usage, setting up or strengthening specialized aid services for sufferers. And assessing violence-associated accidents [6]. The clinical course consists of multiple-choice choice quest essay and viva vocabulary components. staff thought it would be appropriate to examine these correlations between students' use of learning strategies and their performance on the various components of the test. are highly biased [7]. Forensic medicine today encompasses many sub-disciplines It is a large medical field. However, in general, when one talks or thinks about it, One has immediate death, au, tops auto deals with related issues. Nevertheless, It is only a part of legal medicine because the new Approaches and Sub-disciplines of Medical Science Developments and social politics around tare the world are Perceived by changes. Forensic Anthropology and Medical Forensic Medicineof these "new" may be good examples of science [8].

Forensic testing and evidence series gear have facilitated sex crime investigations and extended the likelihood that scientific evidence can be trusted (4). When the wound affords evidence of penetration, it Since consensual intercourse may additionally result in accidents, consent can't be determined. Biology Semen, semen, or saliva-like substances may additionally Injury and organic evidence and their probative price online at online characteristics of the case, whether it's to demonstrate sexual touch or confirm physical combat (five). Because forensic checking out It is generally capability complications of a case is cleared cleanclearonsequently, the duty to care is to carry out a complete Examine and gather all proof of capacity costs by the capability of the forensic health worker [9]. Forensic and molecular tried trying observing served the suspect's DNA A to 18 with organic sources in material all had mixed clues from each the suspect of and the sufferer. In element, the suspect's DNA material become observed on adhesive eliminated from the Worn through tvictim'stim Biker jacket (each Inside collar of sleeves and gloves) at the hands of every hand and at the again and aspects of the neck and respectively Throat projects outward) [10]. Forensic clinical examinations executed by way of Sexual violence from 2009 to 2016 Hamburg forensics following the incidents Medical Department suggested using changed. HIV PEP is predicated on one innovation, sorting out goingwithinany damage and whether the perpetrator belongs to a populace High incidence of HIV disease at risk. HIV PEP half of the recipients decrease back having PEP after indications evaluated with the aid of an infectious illness expert, and sixteen% completed a full month of remedy [11]. Child sexual abuse is frequently hard to show in court docket. Clinical proof exists in some instances (Fingel& De Jong, 1994). Usually, the child is the best eyewitness. The United States Supreme Court has held that "child abuse is one of the maximum hard crimes due to the fact to a large volume there are no witnesses aside from the sufferer" (Pennsylvania v. Ritchie, 1987) successfully [12]. The heads of 28 German forensic institutes were each responsible for the support of the survey. A selected employee underwent a preliminary interview by telephone Specific to forensic medicine to discuss processes and contrelatives' institutions. Organizational structure varies significantly between organizations and this should be taken co- to-fromsworkers Forensic Medicine and Forensics Pathology is an adventure have been provided. The first recombined gaining knowledge of enjoy which includes e-learning, self-directed gaining knowledge of and tremendous face-to-face teaching elements, although it became now [14]. Age assessment for criminal and civil disciplines ant, and it is a forensic solution Most current research topics on the subject are being.

When being one is of age This technique is used to know criminal obligation in prison matters including abuse, trafficking, and Illeg, al immigration. This Civil can be used subjects which include beginning an enterprise, Retirement, adoption, and fleet Recruitment, as well as people [15].

2. MATERIALS & METHODS

*Assessment of the victim:*Assessing bullying problems in school is an issue of increasing concern to psychologists. Ahmad & Smith (1990) compared Exceptional strategies for assessing bullying/victimization issues with a sample of approximately hundred between nine and 15. They concluded that the use of nameless self-file questionnaires, inclusive of the Pullinyctim questionnaire utilized by Olweiss (1978, 1991, 1993) in Norway, is one of the exceptional strategies for establishing occurrence from middle college age [16]. Assessing sufferer satisfaction with services, issue loadings and item-total correlations of the primary factor had been examined. Eleven objects had been decided on that loaded extraordinarily at the unsmoothed first element and that exhibited good inter-object object-overall correlations. The coefficient alpha for the very last VSODS turned into zero.87. This indicates that the VSODS is a dependable instrument for assessing sufferer delight with mediated talk. Guidelines for using VSODS to enhance program evaluation sports have been provided [17].Progress is violence danger evaluation, where through widespread research we understand greater approximately violence risk, which includes risk elements, danger eval, and u, evaluated risk management. Armed with this understanding, many in the subject have designed risk evaluation gear to assist predicating fromaveryour violence. At least thirteen violence chance evaluation tools had been advanced for IPV since the Eighties [18].Assessment questions hazards include hazards specific types of victims. An applied application to gain unique sorts of sufferers. Offenders with single or a couple of sufferers, are offenders who are indignant or did no longer offend both sexes, anthe d offenders with handiestthe intra-own family or more-circle of relative's victims have been in comparison with sufferers of both dating kinds. Vary between ables discriminating unmarried of-victim and a couple of-sufferer offenders were just like those diagnosed in the real danger evaluation scales, excluding records differentiate unique culprit agencies in keeping with sufferer gender and sufferer relationship, even though in distinctive combos [19].

*Informed consent:*Informed consent refers to human participants Ethical and legal frameworks for inclusive research required Critical to participant decision making About all aspects It is the process of I subjects, informed consent is an indispensable requirement [20].Informed consent is intended to protect patients and theresearch To encourage behavior. To provide informed consent, Individuals' Purpose, and process, risks of research, and Understandthe want Many participants in clinical trials Incomplete understanding of various aspects have Written informed consent documents Issues related to length, format, and language Tamilare common. Here, written consent form, especially of clinical research in context, Dr. or The investigator and the patient We analyze the debates between[21].Informed consent is its history and Medical and Biomedical from research gets its meaning. Medical Disclosure throughout the history of ethics and discussions of unnecessary disclosure played a significant role, but it was not until the 1950s that the term "informed consent" appeared. Serious debate by the mid-1972s, clinical and research ethics gradually moved away the clinician's or researcher's responsibility Information for about a patient or subject Quality of understanding and biomedical to authorize intervention or Insisting on the right to refuse [22].Its proponents claim that it is a theme of protecting individual rights in the medical environment, while its detractors allege that it is a myth that patients do not understand, cannot understand, and are unilling to tell [23].

*Medical and gynecological history:*The gynecological records questionnaire turned into administered handiest all through the second wave earlier than the T1 scientific evaluation. Although the authentic take a look at BCFS across Comprehensive Telephone Interviews (CATI). Match events and bell controls Designed, during clinical evaluation Determination of reclassification and/or exemption status Case-manipulated due to (CFS rejected). The match is damaged. For clinical assessment Then protected persons Common reasons for exclusion include:CFS or manage situations did not meet adequate criteria [24].Histopathology facts blanketed Grade of AEH at initial biopsy (moderate, mild or named intensity) and malignancy Suspicion of Inability to Exclude. AEH for a polyp Restricted and waist washing Additional information whether cytology was performed.Post-sterectomy, area in sufferers identified with EAC Invasion, and, wherein relevant, lymph node popularity and coagulation findings had been recorded [25].

*Assault history:*Common attack: When force is used, which include pushing or slapping or threats of violence. Actual Bodily Harm (ABH): When you're injured due to an attack, as an example a cut, scratch or chunk. Grievous Bodily Harm (GBH): When you're significantly injured in an assault inclusive of a stabbing. Assault is described as the illegal and intentional use of pressure in opposition to every other

person, or inducing that character to agree with that he or she will use it. That power. There is a clean difference in criminal law among commonplace attack and assault concerning grievous physical harm.

Physical top-to-toe examination: A head-to-toe evaluation consists of all body structures, and the findings inform the fitness care expert about the affected person's overall situation. Any odd findings need to comply with a targeted assessment precise to the affected body system. A head-to-toe assessment tick list or form is a document that techniques and evaluations the patient's bodily condition and activities. Head-to-toe checklists are utilized by nurses, EMTs, physicians, and physician assistants to thoroughly check and document a patient's physical situation.

Method: The DEMATEL technique can Specific hassle, pinup Bound troubles, and structural modelling strategies that may make contributions to figuring out solutions which could paintings thru a hierarchical shape, identifying the interdependence among the additives of an organization for a purpose, and influencing the fundamental Concept of situational relations and Due to the influence of the elements The chart uses loads the directional graphs [26]. Built on the basic precept of DEMATEL, it executes Issues via visualization technique Analyses and solves.Modelling this structure Approach adopts the form of a driven diagram, which is a causal effect for presenting values of influence between interrelated relationships and factors. By analysing the visual relationship of conditions between systemic Factors, all components A causal group and a The effect is divided into groups. It also provides researchers with Structure between system components Better understanding of the relationship and complexity for troubleshooting computer problems Can find ways [27]. The DEMATEL system is integrated Emergency management together Manage. In the manner proposed, it is not necessary to defuzzify obscure numbers before using the DEMATEL method. Therefore, this method is uncertain of evaluation Will truly reflect the character. Finally, to get the final results from different aspects Twice in each integrated PPA We use DEMATEL, which is ours [28]. Decision Testing and Assessment Laboratory (DEMATEL). The DEMATEL method is a powerful method gathering team knowledge to build a structured model and visualizing the causal relationship of subsystems. But crisp values The ambiguity of the real world Is adequate reflection [29]. DEMATEL explores the interdependence between equity The amount of investment factors and factors and ANP to assess their dependencies Integrates. This section is, first of all, DEMATEL Establishes network relationships through, secondly, for each factor ANP to increase weight compared to Uses. Third, systematic data collection process is provided [30]. The DEMATEL method effectively calculates the consequences between criteria, which efficiently separates the set of complicated elements right into a sender organization and a recipient institution and transforms it right technique to choosing a management gadget Between alternate configurations Explicit Priority Weights come from in addition, the ZOGP model allows companies to make full use of limited resources for planning to implement optimal management systems [31]. DEMATEL methods. This influence and causal Group barriers pro or Source for affected group barriers Can be considered due. Therefore, in order to effectively implement electronic waste management, barriers belonging to a causal or an influential group Should be considered on a priority basis. Therefore, decision makers need to determine obstacles The legal framework is strong Make sure there is controllable in order to minimize impact or influence barriers. Therefore, derived from ISM and DEMATEL methods The results are somewhat consistent. Integrated ISM DEMATEL Results for e-waste management constraints Determines not only the structure but also the structure the interactions between these barriers [32].

3. RESULTS AND DISCUSSION

TABLE 1. Forensic Medical Examination

	Assessment of the victim	Informed consent	Medical and gynaecologicalhistory	Assault history	Physical top-to-toe examination	Sum
Assessment of the victim	0	1	4	2	2	9
Informed consent	3	0	2	1	1	7
Medical and gynaecological history	2	1	0	3	2	8
Assault history	2	3	2	0	2	9

Physical top-to-toe examination	2	1	1	2	0	6

Table 1 shows that DEMATEL Decision making trail and evaluation laboratory in Forensic Medical Examination with respect to Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination sum of the pair in the value poojiyam.

FIGURE 1. Forensic Medical Examination

Figure 1 shows that DEMATEL Decision making trail and evaluation laboratory in Forensic Medical Examination with respect to Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination sum of the pair in the value poojiyam.

TABLE 2. Normalization of Direct Relation Matrix

Normalisation of direct relation matrix					
	Assessment of the victim	Informed consent	Medical and gynaecological history	Assault history	Physical top-to-toe examination
Assessment of the victim	0	0.111111111	0.44444444	0.222222222	0.222222222
Informed consent	0.333333333	0	0.22222222	0.111111111	0.111111111
Medical and gynaecologicalhistory	0.222222222	0.111111111	0	0.333333333	0.222222222
Assault history	0.222222222	0.333333333	0.22222222	0	0.222222222
Physical top-to-toe examination	0.222222222	0.111111111	0.11111111	0.222222222	0

Table 2 shows that the Normalisingof direct relation matrix inForensic Medical Examination with respect to Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination The diagonal value of all the data set is zero.

FIGURE 2. Normalisation of Direct Relation Matrix

Figure 2 Shows that chart for Normalising of direct relation matrix is Forensic Medical Examination Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination has Different value.

TABLE 3. Calculate the Total Relation Matrix

Calculate the total relation matrix					
	Assessment of the victim	**Informed consent**	**Medical and gynaecological history**	**Assault history**	**Physical top-to-toe examination**
Assessment of the victim	0	0.11111	0.444444444	0.222222	0.222222
Informed consent	0.3333333	0	0.222222222	0.111111	0.111111
Medical and gynaecological history	0.2222222	0.11111	0	0.333333	0.222222
Assault history	0.2222222	0.33333	0.222222222	0	0.222222
Physical top-to-toe examination	0.2222222	0.11111	0.111111111	0.222222	0

Table 3Shows theCalculate the total relation matrix in Forensic Medical Examination Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examinationisCalculate the Value.

FIGURE 3. Calculate the Total Relation Matrix

Figure 3 shows the Calculate the Total Relation Matrix in Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination is Calculate the Value.

TABLE 4.T= Y(I-Y)-1, I= Identity matrix

1	0	0	0	0
0	1	0	0	0
0	0	1	0	0
0	0	0	1	0
0	0	0	0	1

Table 4Shows theT= Y(I-Y)-1, I= Identity matrix in Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination is the common Value.

TABLE 5. Y Value

0	0.111111	0.444444	0.222222	0.222222
0.333333	0	0.222222	0.111111	0.111111
0.222222	0.111111	0	0.333333	0.222222
0.222222	0.333333	0.222222	0	0.222222
0.222222	0.111111	0.111111	0.222222	0

Table 5Shows the Y Value in Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination is the Calculate the total relation matrix Value and Y Value is the same value.

TABLE 6.I-Y Value

1	-0.11111	-0.44444	-0.22222	-0.22222
-0.33333	1	-0.22222	-0.11111	-0.11111
-0.22222	-0.11111	1	-0.33333	-0.22222
-0.22222	-0.33333	-0.22222	1	-0.22222
-0.22222	-0.11111	-0.11111	-0.22222	1

Table 6Shows the I-Y ValueAssessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examinationtable 4 T= Y(I-Y)-1, I= Identity matrix and table 5 Y ValueSubtractionValue.

TABLE 7.(I-Y)-1Value

2.564094701	1.238162	1.961298	1.699092	1.520792
1.550601079	1.924865	1.548393	1.341389	1.200626
1.610770363	1.153705	2.489573	1.627331	1.401006
1.734973013	1.378373	1.790174	2.465285	1.48436
1.306611874	0.923516	1.282323	1.255275	1.956882

Table 7 Shows the (I-Y)-1Value Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examinationTable 6 shown the Minverse Value.

TABLE 8. Total Relation matrix (T)

	Total Relation matrix (T)				
Assessment of the victim	1.564094701	1.238162	1.961298	1.699092	1.520792
Informed consent	1.550601079	0.924865	1.548393	1.341389	1.200626
Medical and gynaecological history	1.610770363	1.153705	1.489573	1.627331	1.401006
Assault history	1.734973013	1.378373	1.790174	1.465285	1.48436
Physical top-to-toe examination	1.306611874	0.923516	1.282323	1.255275	0.956882

Table 8 shows the Total Relation Matrix the Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examinationdirect relation matrix is multiplied with the inverse of the value that the direct relation matrix is subtracted from the identity matrix.

FIGURE 4. Total Relation Matrix (T)

Figure 4shows The Total Relation Matrix theAssessment of the victim, Informed consent, Medical and gynecological history, Assault history, Physical top-to-toe examination direct relation matrix is multiplied with the inverse of the value that the direct relation matrix is subtracted from the identity matrix.

TABLE 9. Forensic Medical Examination Ri, Ci Value

	Ri	**Ci**
Assessment of the victim	7.98344	7.767051
Informed consent	6.565873	5.618621
Medical and gynaecological history	7.282385	8.071762
Assault history	7.853165	7.388371
Physical top-to-toe examination	5.724607	6.563665

Table 9 shows the Forensic Medical Examination in Assessment of the victim, Informed consent, Medical and gynecological history, Assault history, Physical top-to-toe examination RI, Ci Value. Assessment of the victim is showing the Highest Value for Ri and Physical top-to-toe examinationis showing the lowest value. Medical and gynaecologicalhistoryis showing the Highest Value for Ci and Informed consentis showing the lowest value.

FIGURE 5. Total Relation Matrix (T) Ri, Ci Value

Figure 5shows the Total Relation Matrix (T) Ri, Ci Value Forensic Medical Examination is Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examination. Assessment of the victim is showing the Highest Value for Ri and Physical top-to-toe examinationis showing the lowest value. Medical and gynaecological history is showing the Highest Value for Ci and Informed consent is showing the lowest value.

TABLE 10. Calculation of Ri+Ci and Ri-Ci To Get The Cause And Effect

	Ri+Ci	Ri-Ci	Rank	Identity
Assessment of the victim	15.75049	0.216389	1	cause
Informed consent	12.18449	0.947252	5	cause
Medical and gynaecologicalhistory	15.35415	-0.78938	2	effect
Assault history	15.24154	0.464794	3	cause
Physical top-to-toe examination	12.28827	-0.83906	4	effect

Table 10shows the Calculation of Ri+Ci and Ri-Ci to Get the Cause and Effect. Forensic Medical Examinationis Assessment of the victim, Informed consent, Medical and gynaecological history, Assault history, Physical top-to-toe examinationof Assessment of the victim, Informed consent, Assault history is Showing the highest Value of cause.Medical and gynaecological history, Physical top-to-toe examinationis Showing the lowest Value of effect.

TABLE 11. T Matrix Value

1.564095	1.238162	**1.961298**	**1.699092**	**1.520792**
1.550601	0.924865	**1.548393**	1.341389	1.200626
1.61077	1.153705	**1.489573**	**1.627331**	1.401006
1.734973	1.378373	**1.790174**	**1.465285**	**1.48436**
1.306612	0.923516	1.282323	1.255275	0.956882

Table 11 shows the T Matrix Value Calculatethe Average of the Matrix and Its Threshold Value (Alpha) **Alpha 1.416378803** If the T matrix value is greater than threshold value then bolds it.

FIGURE 6. Shown the Rank

Figure 6shows the Rank using the DEMATEL for Forensic Medical Examination. Assessment of the victimis got the first rank whereas is the Informed consentnumberis having the Lowest rank.

4. CONCLUSION

Forensic medical examination is Searching for injuries and police to be used as evidence at trial Taking samples and A lawsuit will followSexual Assault Forensic Medicine The purpose of the test is the victim Health needs assessment Treatment of any injuries When consolidating and prosecuting Gather resources for potential use trial (US Department of Justice, 2004, pp. 30-2). Because the body is the scene of the crime, testimony is time sensitive and may only last until the victim has showered, washed, and/or urinated. Medical examinations of torture victims, but this research areit analyzes and evaluates aims toWhile in detention Medical for them the experiment was conducted, particularly examination. 36.4% of participants chose They said the police were in the room. 13.6% Participants were only relevant during the experiment They have said that it is the allotted time for the examination not enough. Clinical trials lasted from 10 seconds to 10 minutes. Most participants were surveyed within five minutesAssessing bullying problems in school is an issue of increasing concern to psychologists. Ahmad & Smith (1990) compared Exceptional strategies of assessing bullying/victimization issues with a sample of approximately one hundred kids among the ages of nine and 15.Informed consent refers to human participants Ethical and legal frameworks for inclusive research required Critical to participant decision making About all aspects It is the process of informing the participant.For the required Critical to participant decision making Statement. Before any research involving human subjects, informed consent is an indispensable requirement. The gynecological records questionnaire turned into administered handiest all through the second wave earlier than the T1 scientific evaluation. Although the authentic take a look at BCFS across Comprehensive Telephone Interviews (CATI). Common attack: When force is used, which includes pushing or slapping or threats of violence. Actual Bodily Harm (ABH): When you're injured due to an attack, for example a cut, scratch or chunk. Grievous Bodily Harm (GBH): When you're significantly injured in an assault inclusive of a stabbing. A head-to-toe evaluation consists of all body structures, and the findings inform the fitness care expert about the affected person's overall situation. Any odd findings need to comply with a targeted assessment precise to the affected body system. DEMATEL (Decision Making Trial and Evaluation Laboratory) They are divided into analysis using the Forensic Medical Examination Assessment of the victim, Informed consent, Medical and gynecological history, Assault history, Physical top-to-toe examination It is the interaction between the factors Visualize and assess dependent relationships Through the structural model Also deals with identifying important. Evaluation parameters Assessment of the victim, Informed consent, Medical and

gynecological history, Assault history, Physical top-to-toe examination Assessment of the victim is got the first rank whereas is the Informed consent number is having the lowest rank.

REFERENCES

[1]. Ingemann-Hansen, Ole, and Annie Vesterby Charles. "Forensic medical examination of adolescent and adult victims of sexual violence." Best practice & research Clinical obstetrics & gynaecology 27, no. 1 (2013): 91-102.

[2]. Keten, Alper, and Ramazan Abacı. "Evaluation of medical examination of forensic medicine specialists during/after detention within the scope of Istanbul Protocol." Journal of Forensic and Legal Medicine 71 (2020): 101921.

[3]. Janik, Martin, LubomirStraka, JozefKrajcovic, Petr Hejna, Julian Hamzik, and Frantisek Novomesky. "Non-traumatic and spontaneous hemothorax in the setting of forensic medical examination: A systematic literature survey." Forensic science international 236 (2014): 22-29.

[4]. Roberts, Raine EI. "Forensic medical evidence in rape and child sexual abuse: controversies and a possible solution." Journal of the Royal Society of Medicine 92, no. 8 (1999): 388-392.

[5]. Dang, Catherine, Céline Denis, Sophie Gahide, Patrick Chariot, and Thomas Lefèvre. "Violence at work: forensic medical examination of police officers assaulted while on duty: comparisons with other groups of workers in two centres of the Paris area, 2010–2012." International archives of occupational and environmental health 89, no. 5 (2016): 755-765.

[6]. Wörmann, Xenia, Sandra Wilmes, Dragana Seifert, and Sven Anders. "Males as victims of intimate partner violence—results from a clinical-forensic medical examination centre." International journal of legal medicine 135, no. 5 (2021): 2107-2115.

[7]. Marambe, Kosala N., Deepthi H. Edussuriya, P. D. I. S. Somaratne, and ChathuraPiyaratne. "Do medical students who claim to be using deep learning strategies perform better at the Forensic Medicine examination." South East Asian Journal of Medical Education 3, no. 1 (2009): 25-30.

[8]. Pinheiro, Jo. "Introduction to forensic medicine and pathology." Forensic Anthropology and Medicine (2006): 13-37.

[9]. Golding, Jacqueline M. "Sexual assault history and women's reproductive and sexual health." Psychology of Women Quarterly 20, no. 1 (1996): 101-121.

[10]. Monticelli, Fabio C., Herwig Brandtner, Sebastian N. Kunz, Thomas Keller, and Franz Neuhuber. "Homicide by hanging: A case report and its forensic-medical aspects." Journal of forensic and legal medicine 33 (2015): 71-75.

[11]. Ebert, Julia, Jan Peter Sperhake, Olaf Degen, and Ann Sophie Schröder. "The use of HIV post-exposure prophylaxis in forensic medicine following incidents of sexual violence in Hamburg, Germany: a retrospective study." Forensic Science, Medicine and Pathology 14, no. 3 (2018): 332-341.

[12]. Myers, John EB. "Forensic Impact of the Child Sexual Abuse Medical Examination." Child Abuse & Neglect: The International Journal 22, no. 6 (1998): 653-56.

[13]. Aboutara, M., K. Püschel, and B. Wulff. "Communication skills of doctors in German forensic medicine institutes." Rechtsmedizin 25, no. 2 (2015): 139-144.

[14]. Jones, Richard Martin. "Online teaching of forensic medicine and pathology during the COVID-19 pandemic: A course evaluation." Journal of forensic and legal medicine 83 (2021): 102229.

[15]. Gurses, Murat Serdar, Nursel Turkmen Inanir, GokhanGokalp, RecepFedakar, ErenTobcu, and GokhanOcakoglu. "Evaluation of age estimation in forensic medicine by examination of medial clavicular ossification from thin-slice computed tomography images." International journal of legal medicine 130, no. 5 (2016): 1343-1352.

[16]. Austin, Sharon, and Stephen Joseph. "Assessment of bully/victim problems in 8 to 11 year‐olds." British journal of educational psychology 66, no. 4 (1996): 447-456.

[17]. Bradshaw, W., and Mark Umbreit. "Assessing satisfaction with victim services: The development and use of the victim satisfaction with offender dialogue scale (VSODS)." International Review of Victimology 10, no. 1 (2003): 71-83.

[18]. Rathor, Ketan, Anshul Mandawat, Kartik A. Pandya, Bhanu Teja, Falak Khan, and Zoheib Tufail Khan. "Management of Shipment Content using Novel Practices of Supply Chain Management and Big Data Analytics." In *2022 International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)*, pp. 884-887. IEEE, 2022.

[19]. Storey, Jennifer E., and Stephen D. Hart. "An examination of the Danger Assessment as a victim-based risk assessment instrument for lethal intimate partner violence." Journal of Threat Assessment and Management 1, no. 1 (2014): 56.

[20]. Proeve, Michael, Andrew Day, Philip Mohr, and Katherine Hawkins. "Specific risk assessment based on victim type in child sexual offenders." Psychiatry, Psychology and Law 13, no. 1 (2006): 28-40.

[21]. Krishnan, G. Sai, G. Shanmugasundar, M. Vanitha, and N. Sivashanmugam. "Mechanical properties of chemically treated Banana and ramie fibre reinforced polypropylene composites." In *IOP Conference Series: Materials Science and Engineering*, vol. 961, no. 1, p. 012013. IOP Publishing, 2020.

[22]. Chaudhari, Sachin Vasant, M. Dhipa, Shahnawaz Ayoub, B. Gayathri, M. Siva, and V. Banupriya. "Modified Aquila optimization based route planning model for unmanned aerial vehicles networks." In *2022 international conference on automation, computing and renewable systems (ICACRS)*, pp. 370-375. IEEE, 2022.

[23]. Manjunath, C. R., Ketan Rathor, Nandini Kulkarni, Prashant Pandurang Patil, Manoj S. Patil, and Jasdeep Singh. "Cloud Based DDOS Attack Detection Using Machine Learning Architectures: Understanding the Potential for Scientific Applications." *International Journal of Intelligent Systems and Applications in Engineering* 10, no. 2s (2022): 268-271.

[24]. Nijhawan, Lokesh P., Manthan D. Janodia, B. S. Muddukrishna, Krishna Moorthi Bhat, K. LaxminarayanaBairy, NayanabhiramaUdupa, and Prashant B. Musmade. "Informed consent: Issues and challenges." Journal of advanced pharmaceutical technology & research 4, no. 3 (2013): 134.

[25]. Krishna, S. Rama, Ketan Rathor, Jarabala Ranga, Anita Soni, D. Srinivas, and Anil Kumar. "Artificial Intelligence Integrated with Big Data Analytics for Enhanced Marketing." In *2023 International Conference on Inventive Computation Technologies (ICICT)*, pp. 1073-1077. IEEE, 2023.

[26]. Hemanand, D., Nilamadhab Mishra, G. Premalatha, Dinesh Mavaluru, Amit Vajpayee, Sumit Kushwaha, and Kibebe Sahile. "Applications of intelligent model to analyze the green finance for environmental development in the context of artificial intelligence." *Computational Intelligence and Neuroscience* 2022 (2022).

[27]. Selvi, S. "Implementation of Raaes: Reliability-Assured and Availability-Enhanced Storage System." *Journal of Algebraic Statistics* 13, no. 2 (2022).

[28]. Jefford, Michael, and Rosemary Moore. "Improvement of informed consent and the quality of consent documents." The lancet oncology 9, no. 5 (2008): 485-493.

[29]. Selvi, S., and R. Anbuselvi. "Popularity (Hit Rate) Based Replica Creation for Enhancing the Availability in Cloud Storage." *International Journal of Intelligent Engineering & Systems* 11, no. 2 (2018).

[30]. K. Aravindh; D. S. Robinson Smart; Chandrasekar Raja; M. Ramachandran, "Detection of Composites and Sandwich Structures for Aeronautic Application", Journal on Applied and Chemical Physics, 2(1), 2023: 20-30.

[31]. Beauchamp, Tom L. "Informed consent: its history, meaning, and present challenges." Cambridge Quarterly of Healthcare Ethics 20, no. 4 (2011): 515-523.

[32]. Anbuselvi, R., GAYATHRI.B "Holistic approach for green cloud computing and environmental sustainability." *International Journal* 5, no. 3 (2015).

[33]. Meisel, Alan, and Loren H. Roth. "What we do and do not know about informed consent." Jama 246, no. 21 (1981): 2473-2477.

[34]. Shanmugasundar, G., R. Sivaramakrishnan, and S. Venugopal. "Modeling, design and static analysis of seven degree of freedom articulated inspection robot." *Advanced Materials Research* 655 (2013): 1053-1056.

[35]. Hemanand, D., D. S. Jayalakshmi, Uttam Ghosh, A. Balasundaram, Pandi Vijayakumar, and Pradip Kumar Sharma. "Enabling sustainable energy for smart environment using 5G wireless communication and internet of things." *IEEE Wireless Communications* 28, no. 6 (2021): 56-61.

[36]. Boneva, Roumiana S., Jin-Mann S. Lin, and Elizabeth R. Unger. "Early menopause and other gynecologic risk indicators for chronic fatigue syndrome in women." Menopause (New York, NY) 22, no. 8 (2015): 826.

[37]. Kumar, Ashish, Ketan Rathor, Snehit Vaddi, Devanshi Patel, Preethi Vanjarapu, and Manichandra Maddi. "ECG Based Early Heart Attack Prediction Using Neural Networks." In *2022 3rd International Conference on Electronics and Sustainable Communication Systems (ICESC)*, pp. 1080-1083. IEEE, 2022.

[38]. Rajadurai, Vinita Angeline, Paola Chivers, Chloe Ayres, Ganendra Raj Mohan, Colin John Reid Stewart, Yee Chit Leung, King Man Wan, and Paul Andrew Cohen. "Predictors of endometrial carcinoma in patients with atypical endometrial hyperplasia at a tertiary gynaecological cancer centre in Western Australia." Australian and New Zealand Journal of Obstetrics and Gynaecology 61, no. 2 (2021): 275-283.

[39]. Shieh, Jiunn-I., Hsin-Hung Wu, and Kuan-Kai Huang. "A DEMATEL method in identifying key success factors of hospital service quality." *Knowledge-Based Systems* 23, no. 3 (2010): 277-282.

[40]. Lin, Ru-Jen. "Using fuzzy DEMATEL to evaluate the green supply chain management practices." *Journal of cleaner production* 40 (2013): 32-39.

[41]. Sundar, G. Shanmuga, and R. Sivaramakrishnan. "A Survey on Development of Inspection Robots: Kinematic Analysis, Workspace Simulation and Software Development." *Corrosion Detection in 'T'Bend Oil Pipelines Based on Fuzzy Implementation* 1493 (2012).

[42]. Polepaka, Sanjeeva, B. Gayathri, Shahnawaz Ayoub, Himanshu Sharma, Yudhveer Singh Moudgil, and S. Kannan. "Privacy Preserving Encryption with Optimal Key Generation Technique on Deduplication for Cloud Computing Environment." In *2022 International Conference on Automation, Computing and Renewable Systems (ICACRS)*, pp. 464-470. IEEE, 2022.

[43]. Hemanand, D., G. Vinoda Reddy, S. Sathees Babu, Kavitha Rani Balmuri, T. Chitra, and S. Gopalakrishnan. "An intelligent intrusion detection and classification system using CSGO-LSVM model for wireless sensor networks (WSNs)." *International Journal of Intelligent Systems and Applications in Engineering* 10, no. 3 (2022): 285-293.

[44]. Selvi, S. Annal Ezhil, and R. Anbuselvi. "An Analysis of Data Replication Issues and Strategies on Cloud Storage System." In *International Journal of Engineering Research & Technology (IJERT), NCICN-2015 Conference Proceedings, pp18-21*. 2015.

[45]. Rajagopalan, Sundararaman, Sivaraman Rethinam, V. Lakshmi, J. Mahalakshmi, R. Ramya, and Amirtharajan Rengarajan. "Secure medical image sharing: a hardware authentication approach." In *2017 international conference on microelectronic devices, circuits and systems (ICMDCS)*, pp. 1-4. IEEE, 2017.

[46]. Rathor, Ketan, Keyur Patil, Mandiga Sahasra Sai Tarun, Shashwat Nikam, Devanshi Patel, and Sasanapuri Ranjit. "A Novel and Efficient Method to Detect the Face Coverings to Ensurethe Safety using Comparison Analysis." In *2022 International Conference on Edge Computing and Applications (ICECAA)*, pp. 1664-1667. IEEE, 2022.

[47]. Li, Ya, Yong Hu, Xiaoge Zhang, Yong Deng, and SankaranMahadevan. "An evidential DEMATEL method to identify critical success factors in emergency management." *Applied Soft Computing* 22 (2014): 504-510.

[48]. Wu, Wei-Wen, and Yu-Ting Lee. "Developing global managers' competencies using the fuzzy DEMATEL method." *Expert systems with applications* 32, no. 2 (2007): 499-507.

[49]. Bharti, Rajendra Kumar, D. Suganthi, S. K. Abirami, Relangi Anil Kumar, B. Gayathri, and S. Kayathri. "Optimal Extreme Learning Machine based Traffic Congestion Control System in Vehicular Network." In *2022 6th International Conference on Electronics, Communication and Aerospace Technology*, pp. 597-603. IEEE, 2022.

[50]. Lee, Wen-Shiung, Alex YiHou Huang, Yong-Yang Chang, and Chiao-Ming Cheng. "Analysis of decision making factors for equity investment by DEMATEL and Analytic Network Process." *Expert Systems with Applications* 38, no. 7 (2011): 8375-8383.

[51]. Siva Shankar, S., Bui Thanh Hung, Prasun Chakrabarti, Tulika Chakrabarti, and Gayatri Parasa. "A novel optimization based deep learning with artificial intelligence approach to detect intrusion attack in network system." *Education and Information Technologies* (2023): 1-25.

[52]. Tsai, Wen-Hsien, and Wen-Chin Chou. "Selecting management systems for sustainable development in SMEs: A novel hybrid model based on DEMATEL, ANP, and ZOGP." *Expert systems with applications* 36, no. 2 (2009): 1444-1458.

[53]. J. Joseva; D. S. Robinson Smart; Chandrasekar Raja; M. Ramachandran, "Recent Developments in the Field of Thermal Barrier Coatings Solutions for Structural Repair", Journal on Applied and Chemical Physics, 2(1), 2023: 31-39.

[54]. Selvi, S. Annal Ezhil, and Dr R. Anbuselvi. "A Detailed Analysis of Cloud Storage Issues." In *International Conference on Mathematical Methods and Computation (ICOMAC 2015)*, p. 14. 2015.

[55]. Nayak, Rudra Kalyan, Ramamani Tripathy, V. Saravanan, Priti Das, and Dinesh Kumar Anguraj. "A Novel Strategy for Prediction of Cellular Cholesterol Signature Motif from G Protein-Coupled Receptors based on Rough Set and FCM Algorithm." In *2020 Fourth International Conference on Computing Methodologies and Communication (ICCMC)*, pp. 285-289. IEEE, 2020.

[56]. Rathor, Ketan, Sushant Lenka, Kartik A. Pandya, B. S. Gokulakrishna, Susheel Sriram Ananthan, and Zoheib Tufail Khan. "A Detailed View on industrial Safety and Health Analytics using Machine Learning Hybrid Ensemble Techniques." In *2022 International Conference on Edge Computing and Applications (ICECAA)*, pp. 1166-1169. IEEE, 2022.

[57]. Km, R., and S. Shankar. "Secure image transformation using remote sensing encryption algorithm." *Int. J. Sci. Eng. Res* 5 (2014).

[58]. Shanmugasundar, G., M. Dharanidharan, D. Vishwa, A. Jayaprakash, and P. Abimanyu. "Design and Finite Element Analysis of Prosthetic Hand Controlled by Wireless Gestures for Differently-abled People." In *IOP Conference Series: Materials Science and Engineering*, vol. 923, no. 1, p. 012019. IOP Publishing, 2020.

[59]. Suresh Kumar, S., Martin Margala, S. Siva Shankar, and Prasun Chakrabarti. "A novel weight-optimized LSTM for dynamic pricing solutions in e-commerce platforms based on customer buying behaviour." *Soft Computing* (2023): 1-13.

[60]. Gayathri, B. "Gray Wolf Optimisation Based Energy Efficient Green Cloud Computing." *Journal of Algebraic Statistics* 13, no. 1 (2022): 932-940.

[61]. Kumar, Ashwani, and Gaurav Dixit. "An analysis of barriers affecting the implementation of e-waste management practices in India: A novel ISM-DEMATEL approach." *Sustainable Production and Consumption* 14 (2018): 36-52.

[62]. Manjula Selvam; M. Ramachandran; Vimala Saravanan, "Performance Comparison of Optical Wireless Communication Using Gray Relational Analysis", Journal on Applied and Chemical Physics, 1(1), 2022: 22-30.