


Journal on Applied and Chemical Physics

Vol: 2(4), December 2023

REST Publisher; ISSN: 2583-7125

Website: <https://restpublisher.com/journals/jacp/>

DOI: <https://doi.org/10.46632/jacp/2/4/2>



A Reappraisal of the Osteoarticular Manifestations of Psoriasis Using the WSM Method

*Prabakaran Nanjundan, M. Ramachandran, Ramya Sharma, Sathiyaraj Chinnasamy

REST Labs, Kaveripattinam, Krishnagiri, Tamil Nadu, India.

*Corresponding Author Email: prabakaranrsri@gmail.com

Abstract: A public manifestation is a showing of passion or feeling, or it might be the exercise of an idea. Although it supernatural is regarded to be a surprise when it becomes real, illumination has its roots in religions and philosophy. All facets of life are now included in the word's usage. This expressing procedure entails compiling a list of gratitude's. Your outlook improves when you are grateful for what you have. For of this, thanking others is a common manifesting journaling technique. For illustration, I am appreciative of my company's assistance when I learn new abilities at work. Emphasis on exposures, according to specialists, can hurt us faster than it can help. Thinking we have authority over things we don't can negatively alter how we view the universe and oneself. People may feel guilty after missing to communicate change. As an identity technique, manifestation is concentrating your attention on a desired result and making an effort to make it come true through techniques like concentration, visualizing, and meditation. Fundamentally, you believe that you have objectives. All eyes, HIV-negative eyes, HIV-positive eyes, p-value. Evaluation option: Anterior, Intermediate, Posterior, Anterior chamber cells, Pan uveitis. "From the result it is seen that Pan uveitis and is got the first rank whereas is the Anterior chamber cells got is having the lowest rank". The value of the dataset for Range of manifestation in WSM (Weighted sum model) method shows that it results in Pan uveitis and top ranking

Keywords: All eyes, HIV-negative eyes, p-value, Anterior, Posterior.

1. INTRODUCTION

Although the clinical signs of passageway are widely known, it is nevertheless useful to periodically reevaluate them. A fissure is defined as a rip or break in the anal canal's median that runs between anal border and cuneate line. [1] It is frequently regarded as a fairly typical "small" issue, causing "great" worry and anguish for the person who is experiencing it. A main anal fissure's origins and consequences are not fully known. [2] The rheumatic characteristics includes chunky syndesmophyte and paraspinal osteophytes, and both may be lopsided. Lastly, there may be extra-articular physical symptoms, such as SAPHO, which may be detected by aberrant uptake of radioisotopes that target bone but are not always accompanied by obvious radiographic changes. All 3 of these skeleton symptoms may arise separately in patients, albeit they are all possible. [3] It was established that the development of intraportal follicle-like entities is facilitated by anatomically different B cell growth. CDRH3 gene fragment sequence studies found a variety of variants. The three divisions under investigation all displayed clones descended from the same progenitor. As B cell clonal increases were linked to extrahepatic symptoms, they had a significant impact on how the Hepatitis c manifested clinically. [5] Upper stomach pain is frequently accompanied by heartburn, peptic ulcer sensations, and post-meal discomfort brought on by bloated and distention. Pain in the lower abdomen that manifests as "colonic spasms" seems to be the most incapacitating type and may be accompanied by variations in faction frequency. In the context of persistent constipated, fading or a decrease in the intensity of post dilutional discomfort is usual. Women regularly experience different types of pelvic pain. [7] Those which no longer require therapy because their lower tract ailments have been sufficiently eased, those who would rather forego therapy, and those who require further treatment all fall under the category of discontinuance rate. As a result, the termination rate is a poor indicator of a treatment's effectiveness. On the opposite hand, the s actually rate only covers individuals who require additional therapy because their symptoms of the lower genital tract are not improved. [8] When progress is not evident evenly across all dimensions, it would appear doubtful that a true therapy is occurring. The remedial premise would state that the method used to administer the test must not matter. If it is considered that written solutions necessitate more consideration than spoken replies and that automatic answering would make participants more prone to give the conventional socially accepted answer, the premise that responders take the s new less carefully may be able to explain the results. [9] Nevertheless, there is more going on in our data processing, and we show how the dominant narratives of the rise of the right are made explicit in the teacher development classroom. These occurrences involve the

denigration of Indigenous learnings and assures, assertions of "backward racism," and going to bring to the forefront the ghosts of the right's "shared particles of revulsion," namely "unqualified" and "miscreants" who fill the Learning Studies classes. [10] The clinical manifestations of hepatitis A depend on the age of the host: less than 30% of infected young children show signs of hepatitis, while 80% of infected adults present with acute hepatitis. Hepatitis with markedly elevated serum aminotransferases. With changes in socioeconomic status and improved living conditions, many developing countries are experiencing a shift in the epidemiology of HAV infection, resulting in many cases of adult-onset hepatitis A. [11] The intensity of depressed symptoms was not thoroughly evaluated in any of the investigations, which instead focused on measuring depression episodes rather than major depressed disorder. risk for those who have serious illnesses The risk of having higher scores on illness assessment like the CES-T and GTS may exceed the risk of depressed disorder. A study suggests that relationships identified in the studies may understate the true connection among major melancholy and healthcare admissions because individuals with major sadness had greater readmission relative risk. [12] By performing a direct microscopy analysis, trypomastigotes were found in three of the four CSF specimens. Subject 9 developed redness confirm, however in sufferers 3 and 8, resurgence of Pharyngitis only showed up as extremely high derives from the name levels, which were found by macroscopic blood analysis. Patient 3's elevated predation did not cause any new signs or complaints despite a record of increasing heart illness resembling severe Chagas' failure. [13] The degree of biological indications ranges from mild to strong, with sporadic to fairly frequent episodes. Fatigue, migraines, temporary weakening, physical exhaustion, bile acids, and a beating or speeding pulse are the six biggest and most common somatic signs of stress [14].

2. MATERIALS AND METHODS

The approach is A uses prior A significant amount of DM preference information is interesting for generating solutions, which saves a large amount of computational time. This is optional correlation area is extensive, an advantage over the known weighted sum basis, however, unlike the classic weighted sum model, pruning is not required for unsupported solutions with this optional coupling. To the best of our knowledge, only solutions of preference relations and iterative multi-objective optimization have been used. [19]. The most complicated they try Filterable high schools. First, the criteria weighted score for entry and shall be based on school data evaluation criteria entered by the Assistant Superintendent of data and analysis of their performance. Then, a senior assistant manager for the School of Marketing and Public Relations and the data must be manually calculated. Then, high score, high score, low score manually sorted. All actions will use the worksheet for all users [20]. Values assigned by expert panel for both factor weights and subjective factor values We present an inclusive Revised weighted sum model. In robot selection. This model means that there is no group consensus on values. A high degree of high and low expertise in weights and subjective factors to select robots values will be removed. Key to delete these values The reason is that the finality is to reduce the impact of potential distorted will. segment. To illustrate the model, this extreme the rank change when compared to the model without removal of values A numerical example is also provided to demonstrate. [21].

Step 1. Design of decision matrix and weight matrix

$$D = \begin{bmatrix} x_{11} & x_{12} & \cdots & x_{1n} \\ x_{21} & x_{22} & \cdots & x_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ x_{m1} & x_{m2} & \cdots & x_{mn} \end{bmatrix}$$

The weight vector may be expressed as,

$$w_j = [w_1 \quad \cdots \quad w_n], \quad \text{where } \sum_{j=1}^n (w_1 \quad \cdots \quad w_n) = 1$$

Step 2. Normalisation of DM

$$n_{ij} = \begin{cases} \frac{x_{ij}}{\max. x_{ij}} & | j \in B \\ \frac{\min. x_{ij}}{x_{ij}} & | j \in C \end{cases}$$

Where n_{ij} is the normalized value of the i^{th} alternative for the j^{th} criterion, $\max. x_{ij}$ and $\min. x_{ij}$ are maximum and minimum value of x_{ij} in the j^{th} column for the benefit (B) and cost criteria (C) respectively.

Step 3. Weighted normalized Decision Matrix

$$W_{n_{ij}} = w_j n_{ij}$$

Step 4. Ranking of alternatives

$$S_i^{WSM} = \sum_{j=1}^n w_j n_{ij}$$

Where, S_i^{WSM} is the ranking score of the i^{th} alternative, w_j is weight of the j^{th} criterion. Then the alternatives are ranked in descending order with highest S_i^{WSM} being ranked highest

Strengths

With detailed descriptions of the alternatives, criteria, and their respective scores and weights, WSM enables well-structured issue formulation. It is a more straightforward, convenient, and ideal strategy for resolving problems with several criteria. The depiction of the weighted criterion and the complete process is reasonably simple and obvious.

Weakness

The fact that the weight is assigned voluntarily and demands not just significant insight but also relatively accurate distribution is a significant limitation that can be seen in nearly all MCDM systems (accuracy itself is a voluntary entity and may differ from problem to problem and situation to situation). When qualities are additive, or different from one another in some way, weight summing can be accurate, albeit this requirement is sometimes unachievable.

3. ANALYSIS AND DISSECTION

TABLE 1. Re Manifestations in Data Set

	DATA SET			
	All eyes	HIV-negative eyes	HIV-positive eyes	p-value
Anterior	13.080	539.530	11.150	33.050
Intermediate	18.120	542.970	16.690	14.300
Posterior	163.080	522.580	78.180	51.100
Anterior chamber cells	18.170	528.280	43.600	28.590
Pan uveitis	96.330	586.410	13.960	18.890

Table 1 shows the graphical representation Re Manifestations Data Set value of Alternative: All eyes, HIV-negative eyes, HIV-positive eyes, p-value. Evaluation option: Anterior, Intermediate, Posterior, Anterior chamber cells, Pan uveitis.




FIGURE 1. Re Manifestations

Figure 1 shows the graphical representation Re Manifestations Data Set value of Alternative: All eyes, HIV-negative eyes, HIV-positive eyes, p-value. Evaluation option: Anterior, Intermediate, Posterior, Anterior chamber cells, Pan uveitis.

TABLE 2. Re Manifestations in Normalized Data

Normalized			
0.08021	0.92006	1.00000	0.43268
0.11111	0.92592	0.66806	1.00000
1.00000	0.89115	0.14262	0.27984
0.11142	0.90087	0.25573	0.50017
0.59069	1.00000	0.79871	0.75701

Table 2 Shows the Normalized Data Matrix of Alternative: All eyes, HIV-negative eyes, HIV-positive eyes, p-value. Evaluation option: Anterior, Intermediate, Posterior, Anterior chamber cells, Pan uveitis.

TABLE 3. Re Manifestations in Weight age

Weight			
0.25000	0.25000	0.25000	0.25000
0.25000	0.25000	0.25000	0.25000
0.25000	0.25000	0.25000	0.25000
0.25000	0.25000	0.25000	0.25000
0.25000	0.25000	0.25000	0.25000

Table 3 Shows the Re Manifestations in Weight age of Alternative: All eyes, HIV-negative eyes, HIV-positive eyes, p-value. Evaluation option: Anterior, Intermediate, Posterior, Anterior chamber cells, Pan uveitis.

TABLE 4. Re Manifestations in Weighted normalized decision matrix

Weighted normalized decision matrix			
0.02005	0.23001	0.25000	0.10817
0.02778	0.23148	0.16702	0.25000
0.25000	0.22279	0.03565	0.06996
0.02785	0.22522	0.06393	0.12504
0.14767	0.25000	0.19968	0.18925

TABLE 4 Shows the Re Manifestations in Weighted normalized decision matrix of Alternative: All eyes, HIV-negative eyes, HIV-positive eyes, p-value. Evaluation option: Anterior, Intermediate, Posterior, Anterior chamber cells, Pan uveitis.

TABLE 5. Re Manifestations in Preference Score

	Preference Score
Anterior	0.60823
Intermediate	0.67627
Posterior	0.57840
Anterior chamber cells	0.44205
Pan uveitis	0.78660

TABLE 5 shows the Re Manifestations in Preference Score value of the Anterior = 0.60823 value, Intermediate = 0.67627, Posterior = 0.57840 value, Anterior chamber cells = 0.44205 value, Pan uveitis = 0.78660 value.




FIGURE 2. Re Manifestations in Preference Score

Figure 3 shows the Re Manifestations in Preference Score value of the Anterior = 0.60823 value, Intermediate = 0.67627, Posterior = 0.57840 value, Anterior chamber cells = 0.44205 value, Pan uveitis = 0.78660 value.

TABLE 6. Re Manifestations in Rank

	Rank
Anterior	3.00000
Intermediate	2.00000
Posterior	4.00000
Anterior chamber cells	5.00000
Pan uveitis	1.00000

This table 6 shows that “from the result it is seen that Pan uveitis and is got the first rank whereas is the Anterior chamber cells got is having the lowest rank”.




FIGURE 3. Re Manifestations in Rank

This figure 3 shows that “from the result it is seen that Pan uveitis and is got the first rank whereas is the Anterior chamber cells got is having the lowest rank”.

4. CONCLUSION

Acidic meals and beverages that are regularly ingested are a common cause of dental degradation. Dietary factors frequently interact with internal factors. Degradation has also been linked to chronic drunkenness. Alcohol-induced chronic dyspepsia with asymptomatic vomiting may be the cause of this. Apart for the information provided in the study's questionnaire, we forgot about the subjects' dietary preferences or record of alcohol intake. Here, we present a post-COVID-19 person who had comprehensive imaging and experienced ocular symptoms three days after being released from the hospital following a COVID-19 RT-PCR test that came back negative. He experienced pan uveitis along with an arterial obstruction, which may be an example of a high invulnerable occurrence that has been reported in COVID-19 patients. Individuals with COVID-19 must be informed that there may be ocular aftereffects even after they have recovered. In HBV-related GN, immunological medication is not advised, however a-interferon-based antiretroviral therapy has shown some promise. About one-third of patients who contract HBV exhibit the "arthritis-dermatitis" pardon, a serum illness. There are many different joint and skin signs, but the illness spontaneously goes away at the first sign of clinical jaundice with no lasting damage. Although joint deterioration is uncommon, arthritis that developed after an acute symptom infection can sometimes recur. The relationship between HBV and mixed necessary cryoglobulinemia is still debatable, however the illness has been described as a triad of urticaria, cramping, and weakness that can proceed to kidney, emphysema, and systemic vasculitis. Particular conditions epidermal lesions require comfort and supportive care. Allergic reactions and calming topical treatments like medicated lotion were used to treat the erythematous outbreak. A brief course of moderate topical cortisone and emollients was used to treat hyper melanosis. Treatment for generally prevents lesions included topical medications and local cleansing.

REFERENCES

- [1]. Shuaib, Waqas, Hashim Stanazai, Ahmad G. Abazid, and Ahmed A. Mattar. "Re-emergence of Zika virus: a review on pathogenesis, clinical manifestations, diagnosis, treatment, and prevention." *The American journal of medicine* 129, no. 8 (2016): 879-e7.
- [2]. Ponnada, Venkata Tulasiramu, and SV Naga Srinivasu. "End to End System for Pneumonia and Lung Cancer Detection using Deep Learning." *Int. J. Eng. Adv. Technol* 8 (2019).
- [3]. Mandala, Vishwanadham, and Mahindra Sai Mandala. "Anatomy of big data lake houses." *NeuroQuantology* 20, no. 9 (2022): 6413.
- [4]. Hananel, Nissim, and Philip H. Gordon. "Re-examination of clinical manifestations and response to therapy of fissure-in-ano." *Diseases of the colon & rectum* 40, no. 2 (1997): 229-233.
- [5]. Helliwell, P., A. Marchesoni, M. Peters, M. Barker, and V. Wright. "A re-evaluation of the osteoarticular manifestations of psoriasis." *Rheumatology* 30, no. 5 (1991): 339-345.
- [6]. Furtado, João M., Tiago E. Arantes, Heloisa Nascimento, Daniel V. Vasconcelos-Santos, Natalia Nogueira, Rafael de Pinho Queiroz, Luana P. Brandão et al. "Clinical manifestations and ophthalmic outcomes of ocular syphilis at a time of re-emergence of the systemic infection." *Scientific reports* 8, no. 1 (2018): 12071.
- [7]. Sansonno, Domenico, Gianfranco Lauletta, Valli De Re, Felicia Anna Tucci, Pietro Gatti, Vito Racanelli, Mauro Boiocchi, and Franco Dammacco. "Intrahepatic B cell clonal expansions and extrahepatic manifestations of chronic HCV infection." *European journal of immunology* 34, no. 1 (2004): 126-136.
- [8]. Shatjit yadav; M. Ramachandran; Chinnasami Sivaji; Vidhya Prasanth; Manjula Selvam, "Investigation of Various Solar Photovoltaic Cells and its limitation", *Renewable and Nonrenewable Energy*, 1(1), 2022, 22-29.
- [9]. Fuladipaneh, Mehdi, H. Md Azamathulla, Kiran Tota-Maharaj, Vishwanadham Mandala, and Aaron Chadee. "Precise forecasting of scour depth downstream of flip bucket spillway through data-driven models." *Results in Engineering* 20 (2023): 101604.
- [10]. PRICE, JOHN S., PATRICK C. WALLER, SUSAN M. WOOD, and ANGUS VP MACKAY. "A comparison of the post-marketing safety of four selective serotonin re-uptake inhibitors including the investigation of symptoms occurring on withdrawal." *British journal of clinical pharmacology* 42, no. 6 (1996): 757-763.
- [11]. Shanmugasundar, G., R. Sivaramkrishnan, and S. Venugopal. "Modeling, design and static analysis of seven degree of freedom articulated inspection robot." *Advanced materials research* 655 (2013): 1053-1056.
- [12]. Castori, Marco, Silvia Morlino, Claudia Celletti, Giulia Ghibellini, Michela Bruschini, Paola Grammatico, Carlo Blundo, and Filippo Camerota. "Re-writing the natural history of pain and related symptoms in the joint hypermobility syndrome/Ehlers-Danlos syndrome, hypermobility type." *American journal of medical genetics Part A* 161, no. 12 (2013): 2989-3004.
- [13]. De La Rosette, Jean JMCH, Barbara BM Kortmann, Cristina Rossi, Gabe S. Sonke, Diamandis L. Floratos, and Lambertus ALM Kiemeney. "Long-term risk of re-treatment of patients using α -blockers for lower urinary tract symptoms." *The Journal of urology* 167, no. 4 (2002): 1734-1739.
- [14]. Sunitha, R., and J. K. Raju. "RISK MANAGEMENT IN BANKING SECTOR--AN DESCRIPTIVE STUDY." (2013).

- [15].Ponnada, Venkata Tulasiramu, and SV Naga Srinivasu. "Edge AI system for pneumonia and lung cancer detection." *Int J Innov Technol Exploring Eng* 8, no. 9 (2019).
- [16].Spoorthi. S.; Harshith. T. N.; M. Ramachandran; Chandrasekar Raja, "A Review on Child Safety Monitoring System Based on IOT", *Recent trends in Management and Commerce* 4(2), 2023: 130-135.
- [17].Mandala, Vishwanadham, R. Rajavarman, C. Jamunadevi, R. Janani, and T. Avudaiappan. "Recognition of E-Commerce through Big Data Classification and Data Mining Techniques Involving Artificial Intelligence." In *2023 8th International Conference on Communication and Electronics Systems (ICCES)*, pp. 720-727. IEEE, 2023.
- [18].Ponnada, Venkata Tulasiramu, and SV Naga Srinivasu. "Integrated clinician decision supporting system for pneumonia and lung cancer detection." *International Journal of Innovative Technology and Exploring Engineering (IJITEE)* (2019).
- [19].Jorm, Anthony F., Paul Duncan-Jones, and R. Scott. "An analysis of the re-test artefact in longitudinal studies of psychiatric symptoms and personality." *Psychological medicine* 19, no. 2 (1989): 487-493.
- [20].Gray, Emily M., and Lucy Nicholas. "'You're actually the problem': manifestations of populist masculinist anxieties in Australian higher education." *British Journal of Sociology of Education* 40, no. 2 (2019): 269-286.
- [21].Jeong, Sook-Hyang, and Hyo-Suk Lee. "Hepatitis A: clinical manifestations and management." *Intervirolgy* 53, no. 1 (2010): 15-19.
- [22].Shanmugasundar, G., Ganesh Sai Krishnan, L. Ganesh Babu, S. Kumar, and Mebratu Makos. "Investigation of ferronickel slag powder for marine applications by using MIP method." *Materials Research Express* 9, no. 5 (2022): 055501.
- [23].Prina, A. Matthew, Theodore D. Cosco, Tom Dening, Aartjan Beekman, Carol Brayne, and Martijn Huisman. "The association between depressive symptoms in the community, non-psychiatric hospital admission and hospital outcomes: a systematic review." *Journal of psychosomatic research* 78, no. 1 (2015): 25-33.
- [24].Mandala, Vishwanadham, and S. N. R. D. Surabhi. "Leveraging AI and ML for Enhanced Efficiency and Innovation in Manufacturing: A Comparative Analysis." (2021).
- [25].Sartori, A. M. C., K. Y. Ibrahim, E. V. Nunes Westphalen, L. M. A. Braz, O. C. Oliveira, E. Gakiya, M. H. Lopes, and M. A. Shikanai-Yasuda. "Manifestations of Chagas disease (American trypanosomiasis) in patients with HIV/AIDS." *Annals of Tropical Medicine & Parasitology* 101, no. 1 (2007): 31-50.
- [26].Fimian, Michael J., and Theresa M. Santoro. "Sources and manifestations of occupational stress as reported by full-time special education teachers." (1983): 540-543.
- [27].Meurman, Jukka H., Jussi Toskala, Pekka Nuutinen, and Esa Klemetti. "Oral and dental manifestations in gastroesophageal reflux disease." *Oral surgery, oral medicine, oral pathology* 78, no. 5 (1994): 583-589.
- [28].Sanjay, Srinivasan, Priya Srinivasan, Chaitra Jayadev, Padmamalini Mahendradas, Aditi Gupta, Ankush Kawali, and Rohit Shetty. "Post COVID-19 ophthalmic manifestations in an Asian Indian male." *Ocular immunology and inflammation* 29, no. 4 (2021): 656-661.
- [29].Akshaya, V., Vishwanadham Mandala, Chundururu Anilkumar, P. VishnuRaja, and R. Aarthi. "Security enhancement and attack detection using optimized hybrid deep learning and improved encryption algorithm over Internet of Things." *Measurement: Sensors* 30 (2023): 100917.
- [30].Shanmugasundar, G., Kanak Kalita, Robert Čep, and Jasgurpreet Singh Chohan. "Decision models for selection of industrial Robots—A comprehensive comparison of multi-criteria decision making." *Processes* 11, no. 6 (2023): 1681.
- [31].Cacoub, Patrice, Thierry Poynard, Pascale Ghillani, Frederic Charlotte, Martine Olivi, Jean Charles Piette, and Pierre Opolon. "Extrahepatic manifestations of chronic hepatitis C." *Arthritis & Rheumatism: Official Journal of the American College of Rheumatology* 42, no. 10 (1999): 2204-2212.
- [32].Inamadar, Arun C., Aparna Palit, V. V. Sampagavi, S. Raghunath, and N. S. Deshmukh. "Cutaneous manifestations of chikungunya fever: observations made during a recent outbreak in south India." *International journal of dermatology* 47, no. 2 (2008): 154-159.
- [33].U. Midhunde; Harshith. T. N.; M. Ramachandran; Kurinjimalar Ramu, "An Empirical Investigation of Innovation and Technology in Banking", *Recent trends in Management and Commerce* 4(2), 2023: 121-129.
- [34].Kaddani, Sami, Daniel Vanderpooten, Jean-Michel Vanpeperstraete, and Hassene Aissi. "Weighted sum model with partial preference information: Application to multi-objective optimization." *European Journal of Operational Research* 260, no. 2 (2017): 665-679.
- [35].Krishnan, G. Sai, J. Pravin Kumar, G. Shanmugasundar, M. Vanitha, and N. Sivashanmugam. "Investigation on the alkali treatment of Demostachya Bipinnata fibers for automobile applications-A green composite." *Materials Today: Proceedings* 43 (2021): 828-831.
- [36].Herath, Madhawa, Tharaka Jayathilaka, Hazi Mohammad Azamathulla, Vishwanadham Mandala, Namal Rathnayake, and Upaka Rathnayake. "Sensitivity analysis of parameters affecting wetland water levels: A study of flood detention basin, Colombo, Sri Lanka." *Sensors* 23, no. 7 (2023): 3680.
- [37].Ponnada, Venkata Tulasiramu, and SV Naga Srinivasu. "Efficient CNN for lung cancer detection." *Int J Recent Technol Eng* 8, no. 2 (2019): 3499-505.
- [38].Mandala, Vishwanadham, MA Reetha Jeyarani, A. Kousalya, M. Pavithra, and M. Arumugam. "An Innovative Development with Multidisciplinary Perspective in Metaverse Integrating with Blockchain Technology with Cloud Computing Techniques." In *2023 International Conference on Inventive Computation Technologies (ICICT)*, pp. 1182-1187. IEEE, 2023.

- [39].Sunitha, R. "A study on competency mapping scale to map the competencies of university teachers (with special reference to karnataka state)." *South Asian Journal of Engineering and Technology* 11, no. 1 (2021): 1-3.
- [40].Naufal, Ammar, Amelia Kurniawati, and Muhammad Azani Hasibuan. "Decision support system of SMB telkom university roadshow location prioritization with weighted sum model method." In 2016 2nd International Conference of Industrial, Mechanical, Electrical, and Chemical Engineering (ICIMECE), pp. 107-111. IEEE, 2016.
- [41]. Mandala, Vishwanadham, and P. D. N. K. Kommisetty. "Advancing Predictive Failure Analytics in Automotive Safety: AI-Driven Approaches for School Buses and Commercial Trucks." (2022).
- [42].Goh, Chon-Huat, Yung-Chin Alex Tung, and Chun-Hung Cheng. "A revised weighted sum decision model for robot selection." *Computers & Industrial Engineering* 30, no. 2 (1996): 193-199.
- [43].Jeong, Jiyeon, and Youngjin Park. "Arrangement of array microphones for hearing-aids based on delay-weight-sum beamforming methods." In 2014 14th International Conference on Control, Automation and Systems (ICCAS 2014), pp. 1540-1542. IEEE, 2014.
- [44].T. Santhosh; Harshitha. T. N.; Sathiyaraj Chinnasamy; M. Ramachandran, "Adaptive Subgradient Methods for Leadership And Development", *Recent trends in Management and Commerce* 4(2) 2023, 101-106.
- [45].Shanmugasundar, G., M. Vanitha, L. Ganesh Babu, P. Suresh, P. Mathiyalagan, G. Sai Krishnan, and Mebratu Makos. "Fabrication and analysis of mechanical properties of PVC/Glass fiber/graphene nano composite pipes." *Materials Research express* 7, no. 11 (2020): 115303.
- [46].Esangbedo, Moses Olabhele, and Ada Che. "Grey weighted sum model for evaluating business environment in West Africa." *Mathematical Problems in Engineering* 2016 (2016).
- [47].Sunitha, R. "Work life balance of women employees of teaching faculties in karnataka state." *Journal of Management and Science* 10, no. 4 (2020): 40-42.
- [48].Tornow, V., G. Orlandini, M. Traini, D. Drechsel, and H. Arenhövel. "A study of electronuclear sum rules in light and medium-weight nuclei." *Nuclear Physics A* 348, no. 2-3 (1980): 157-178.
- [49].Krishnan, G. Sai, G. Shanmugasundar, M. Vanitha, and N. Sivashanmugam. "Mechanical properties of chemically treated Banana and ramie fibre reinforced polypropylene composites." In *IOP Conference Series: Materials Science and Engineering*, vol. 961, no. 1, p. 012013. IOP Publishing, 2020.
- [50].Lorenzana, J., G. Seibold, and R. Coldea. "Sum rules and missing spectral weight in magnetic neutron scattering in the cuprates." *Physical Review B* 72, no. 22 (2005): 224511.
- [51].Johansson, Robert, Bo Leckner, Klas Andersson, and Filip Johnsson. "Account for variations in the H₂O to CO₂ molar ratio when modelling gaseous radiative heat transfer with the weighted-sum-of-grey-gases model." *Combustion and Flame* 158, no. 5 (2011): 893-901.
- [52].Ren, Jian, Chun-hua Hu, Shao-qian Yu, and Peng-fei Cheng. "An extended EDAS method under four-branch fuzzy environments and its application in credit evaluation for micro and small entrepreneurs." *Soft Computing* 25, no. 4 (2021): 2777-2792.
- [53].Shanmugasundar, G., Vishal Fegade, Miroslav Mahdal, and Kanak Kalita. "Optimization of variable stiffness joint in robot manipulator using a novel NSWOA-Marcos approach." *Processes* 10, no. 6 (2022): 1074.