




Journal on Electronic and Automation Engineering

Vol: 4(2), June 2025

REST Publisher; ISSN: 2583-6951 (Online)

Website: <https://restpublisher.com/journals/jeae/>

DOI: <https://doi.org/10.46632/jeae/4/2/34>



Wavelet Transform Based Image Fusion for Brain Tumour Detection

*K. Anusha, P. Pragnesh, T. Giridhar, R. Ajay

Nalla Malla Reddy Engineering College, Hyderabad, Telangana, India

*Corresponding Author Email: kanusha.ece@nmrec.edu.in

Abstract: Wavelet transform-based image fusion is a powerful technique used in medical imaging to enhance the visualization of brain tumors by combining multiple imaging modalities. Brain tumor detection requires high precision, as different imaging techniques, such as MRI (Magnetic Resonance Imaging) and CT (Computed Tomography), provide complementary information. MRI offers excellent soft tissue contrast, while CT scans provide detailed bone structures and tumor localization. However, analyzing these images separately may lead to loss of critical diagnostic details. In the designed project, wavelet transform is utilized to fuse images from different modalities, preserving essential features while eliminating redundant information. The wavelet decomposition process helps in breaking down images into multiple frequency components, allowing selective enhancement of edges, textures, and significant details. The fused image retains high spatial resolution and improved contrast, aiding radiologists in accurate tumor identification and classification. The method ensures that diagnostic relevant features are highlighted while reducing noise and artifacts. The proposed wavelet-based fusion method provides an efficient solution for medical image analysis by enhancing critical tumor characteristics that might be missed in individual scans. Future advancements may include deep learning integration for automated tumor segmentation and classification, further improving diagnostic efficiency.

1. INTRODUCTION

Wavelet transform-based image fusion is a crucial technique in medical imaging, particularly for brain tumor detection, where accurate diagnosis relies on combining information from multiple imaging modalities. Medical imaging techniques such as Magnetic Resonance Imaging (MRI) and Computed Tomography (CT) provide complementary insights—MRI offers superior soft tissue contrast, while CT scans highlight bone structures and tumor location. However, analyzing these images separately can lead to loss of critical diagnostic information, making fusion techniques essential for comprehensive assessment. Image fusion aims to integrate relevant features from different images into a single, more informative representation. The wavelet transform approach is widely used due to its ability to decompose images into multiple frequency components, enabling precise enhancement of significant details while suppressing noise and redundant information. It ensures that fine structural details from MRI and CT scans are retained, providing a clearer and more detailed image for accurate tumor identification. By leveraging wavelet transform-based fusion, radiologists can obtain enhanced images that improve the detection, localization, and classification of brain tumors. The fused images aid in early diagnosis and better treatment planning by offering a more holistic view of the affected brain regions. With advancements in computational techniques, this approach has the potential to further improve medical image processing, enabling automated tumor detection and segmentation for enhanced diagnostic accuracy.

2. LITERATURE SURVEY

“Multimodal Medical Image Fusion Using Wavelet Transform” by H. Li, B. S. Manjunath, and S. K. Mitra (1995). It presents a wavelet transform-based approach for fusing multimodal medical images. The authors demonstrate how wavelet decomposition effectively preserves high-frequency and edge information while minimizing noise. The method improves the quality of fused images, enhancing the diagnostic capabilities of medical imaging. 2. “Wavelet-Based Image Fusion Techniques for Medical Applications” by V. S. Petrovic and C. S. Xydeas (2004). Petrovic and Xydeas explore different wavelet-based fusion techniques for medical imaging, comparing their performance in retaining important structural details. Their study highlights the advantages of multi-resolution analysis in improving image clarity and contrast, making it particularly useful for applications such as brain tumor detection. 3. “A Novel Approach for Medical Image Fusion Based on Stationary Wavelet Transform” by R. R. Naidu and A. Kumar (2007). Research introduces an improved image fusion technique using stationary wavelet transform (SWT), which eliminates shift variance issues seen in traditional wavelet methods. The proposed method demonstrates superior performance in fusing MRI and CT images, ensuring better visualization of tumors and abnormalities. “Hybrid Image Fusion Method Based on Wavelet Transform and PCA for Brain Tumor Detection” by S. Das, S. Dey, and P. Ghosh (2012). Das et al. propose a hybrid image fusion approach that integrates wavelet transform with Principal Component Analysis (PCA). Their method enhances important tumor features while reducing redundancy in fused images. The study shows significant improvements in segmentation accuracy and tumor classification. 5. “Deep Learning-Based Medical Image Fusion Using Wavelet Transform and CNN” by J. Zhang, Y. Liu, and K. Wang (2019). It explores the combination of wavelet transform with deep learning techniques such as Convolutional Neural Networks (CNNs) for automated image fusion. The authors demonstrate how this hybrid approach improves the precision of tumor detection by leveraging both handcrafted and deep-learned features, leading to more accurate diagnostic results.

3. SYSTEM ANALYSIS

The proposed system uses Wavelet Transform (WT) techniques to fuse multiple medical imaging modalities, such as MRI, CT, and PET scans, with the aim of improving brain tumor detection. By combining the high-frequency and low-frequency components of each imaging source, the resulting fused image retains the structural details and contrast enhancements of the individual modalities. This results in improved diagnostic accuracy by enabling better visualization of tumors, especially in cases where single-sample images lack sufficient detail or contrast.

Input Data & Resources

The system operates on medical images obtained from various modalities, including MRI, CT, and PET. Each of these image types has unique characteristics in terms of contrast levels, spatial resolution, and sensitivity to noise. For system development and validation, data is obtained from hospital imaging archives and publicly available datasets, such as the Brain Tumor Section (BraTS) Challenge Dataset and the RIDER Neuro MRI Dataset.

Functional Requirements

The image fusion process begins with pre-processing steps that include image registration to align multiple images, normalization to ensure consistent intensity levels, and noise reduction for clarity. Following this, multi-level wavelet decomposition is used to decompose each image into rough and detailed coefficients. Fusion rules such as maximum absolute value, median, or PCA-based selection are then used to merge the coefficients in a way that preserves important information from all input sources. An inverse wavelet transform is then applied to reconstruct the merged image. Finally, post-processing operations including contrast enhancement, image segmentation, and feature extraction are performed to aid in accurate tumor identification and analysis.

4. SYSTEM ARCHITECTURE

The class diagram is used to refine the use case diagram and define a detailed design of the system. The class diagram classifies the actors defined in the use case diagram into a set of interrelated classes. The relationship or association between the classes can be either an "is-a" or "has-a" relationship. Each class in the class diagram may

be capable of providing certain functionalities. These functionalities provided by the class are termed "methods" of the class. Apart from this, each class may have certain "attributes" that uniquely.




FIGURE 1. Neural Network

5. ADVANTAGES OF PYTHON OVER OTHER LANGUAGES

Python is widely recognized for its simplicity and efficiency, making it a great choice for developing applications in fields such as medical imaging and brain tumor detection. One of Python's key advantages is its short code length. Thanks to its clear syntax and strong standard library, most tasks in Python can be achieved with significantly fewer lines of code compared to other programming languages. This simplicity makes it especially suitable for beginners and speeds up development for experts. Another important advantage is its affordability. Python is an open source language, meaning it is free for anyone to use, making it a cost-effective solution for individuals, startups, and large enterprises. Its popularity has also led to extensive community support, ensuring that users can easily access documentation, tutorials, and forums for troubleshooting and guidance. Furthermore, Python stands out as a versatile and cross-platform language. It runs seamlessly on major operating systems such as Linux, macOS, and Windows. Unlike many domain-specific languages, Python allows developers to perform a wide range of tasks, from building web applications and automating workflows to data analysis, machine learning, web scraping, game development, and creating sophisticated data visualizations. According to GitHub's 2019 annual survey, Python surpassed Java as the most popular programming language, underscoring its growing relevance and adaptability. This makes Python not only a tool for experts but also a language for everyone, supporting a variety of applications, including wavelet transform-based image fusion for advanced brain tumor detection systems.

6. MACHINE LEARNING

Machine learning is often categorized as a subfield of artificial intelligence, but I find that categorization can often be misleading at first brush. The study of machine learning certainly arose from research in this context, but in the data science application of machine learning methods, it's more helpful to think of machine learning as a means of building models of data. Fundamentally, machine learning involves building mathematical models to help understand data. "Learning" enters the fray when we give these models tunable parameters that can be adapted to observed data; in this way the program can be considered to be "learning" from the data. Once these models have been fit to previously seen data, they can be used to predict and understand aspects of newly observed data. I'll leave to the reader the more philosophical digression regarding the extent to which this type of mathematical, model-based "learning" is similar to the "learning" exhibited by the human brain. Understanding the problem setting in machine learning is essential to using these tools effectively, and so we will start with some broad categorizations of the types of approaches we'll discuss here. Categories Of Machine Learning: At the most fundamental level, machine learning can be categorized into two main types: supervised learning and unsupervised learning. Supervised learning involves somehow modeling the relationship between measured features of data and some label associated with the data;

once this model is determined, it can be used to apply labels to new, unknown data. This is further subdivided into classification tasks and regression tasks: in classification, the labels are discrete categories, while in regression, the labels are continuous quantities. We will see examples of both types of supervised learning in the following section.

- Unsupervised learning involves modeling the features of a dataset without reference to any label, and is often described as "letting the dataset speak for itself." These models include tasks such as clustering and dimensionality reduction.
- Clustering algorithms identify distinct groups of data, while dimensionality reduction algorithms search for more succinct representations of the data. We will see examples of both types of unsupervised learning in the following section.

7. CHALLENGES IN MACHINE LEARNING

While machine learning (ML) continues to evolve and make significant advances—especially in areas like cyber security, autonomous vehicles, and healthcare—it still faces a number of significant challenges that hinder its full-scale adoption and effectiveness. One of the most pressing issues is data quality. ML algorithms rely heavily on high-quality, well-labeled datasets to perform accurately, and the presence of noisy, incomplete, or biased data can lead to poor model performance, complicating tasks like data preprocessing and feature extraction. Another major concern is the time-consuming nature of ML projects. Processes like data acquisition, cleaning, feature extraction, and model tuning often require extensive time and resources, making rapid development difficult. Coupled with this is the shortage of skilled professionals. As ML is still maturing as a field, finding people with deep expertise in both the theory and practical application of machine learning models remains a challenge. In addition, the lack of clearly defined objectives often leads to inefficient models or incorrect expectations when using ML to solve business problems. Many organizations struggle to bridge the gap between technical capabilities and business needs, which prevents them from successfully implementing ML solutions. Technical challenges such as overfitting and underfitting also pose significant risks. An overfitted model learns well on training data, including noise, and therefore performs poorly on new data. Underfitting, on the other hand, means that the model fails to capture the underlying trend, leading to incorrect predictions. Similarly, the curse of dimensionality, where there are too many features in a dataset, complicates model training and can reduce its generalizability. Finally, deployment difficulties remain a significant barrier. The complexity of ML models – especially deep learning architectures – often makes real-world implementation challenging due to hardware limitations, integration issues, and the need for continuous monitoring and updates.

Applications of Machine Learning

Machine learning (ML) is one of the fastest-growing technologies today, playing a key role in shaping modern digital applications. According to researchers, we are experiencing a golden age of artificial intelligence (AI) and ML, as these technologies are increasingly being adopted to solve complex real-world problems that traditional methods struggle to solve. ML algorithms are capable of learning patterns from large datasets and making intelligent decisions, thereby enabling a wide range of practical applications across a variety of industries. A key application of ML is emotion and sentiment analysis, which allows systems to understand and interpret human emotions from text, voice, or facial expressions. It is widely used in customer feedback analysis and social media monitoring. ML is also instrumental in error detection and prevention, where it helps identify anomalies in real-time systems, reducing operational failures, and improving performance. In weather forecasting and forecasting, ML models analyze large amounts of weather data to make accurate and timely forecasts. Similarly, the stock market relies heavily on ML techniques to identify and analyze trends, predict stock prices, and manage financial risk. ML also improves speech synthesis and recognition, enabling technologies such as virtual assistants, voice control systems, and automated transcription services. In marketing and business, ML is used for customer segmentation, which helps companies target specific user groups based on behavior and preferences. Furthermore, object recognition is widely used in autonomous vehicles, medical imaging, and surveillance, where systems need to accurately identify and classify objects. In the financial sector, ML plays a key role in fraud detection and prevention, detecting unusual patterns in transactions, and alerting systems before damage occurs.

8. ADVANTAGES AND DISADVANTAGES OF MACHINE LEARNING

Advantages of Machine learning

- Machine learning (ML) offers a wide range of benefits that make it an invaluable tool in a variety of industries. One of its most important strengths is its ability to easily identify trends and patterns in large datasets—something that would be difficult and time-consuming for humans. For example, e-commerce sites like Amazon use ML to analyze users' browsing behavior and purchase history to recommend relevant products and tailor ads specifically to each customer.
- Another key advantage of ML is that it requires minimal human intervention. Once trained, ML models can operate autonomously, continuously learning and adapting without constant supervision. A practical example of this is found in antivirus software, where ML helps detect and respond to emerging threats in real time. Similarly, it is useful in identifying and filtering spam emails by recognizing patterns associated with unwanted messages.
- Continuous improvement is another key aspect of ML. As more data becomes available, ML algorithms refine their predictions, becoming more accurate and efficient over time. For example, in weather forecasting, the growing amount of historical and real-time data allows ML models to provide more accurate and timely predictions.
- Furthermore, ML excels at handling multidimensional and heterogeneous datasets, which is especially valuable in dynamic or uncertain environments. This flexibility allows ML systems to perform effectively in complex situations, such as real-time financial analysis or medical diagnostics.
- Finally, ML has broad applicability across industries. Whether its retail, healthcare, finance, or marketing, ML can improve user experience, automate processes, and improve decision-making. Its ability to deliver personalized services and target the right audience makes it a powerful technology for businesses that want to remain competitive and innovative in today's data-driven world.

Disadvantages of Machine Learning

- Machine learning (ML), while powerful and transformative, comes with a number of significant challenges that can hinder its effectiveness if not properly controlled. One of the primary concerns is data acquisition. High-quality, unbiased, and representative data is required to effectively train ML models. Often, suitable data may not be readily available, or it may take time for sufficient data to be generated, especially in specialized domains such as medical diagnostics or remote sensing.
- Another important limitation lies in the time and resources required to build accurate models. ML algorithms require significant computational power and time to process data, learn from it, and improve their performance. This leads to significant infrastructure and hardware requirements, which can be a barrier for smaller organizations or projects with limited budgets.
- Interpreting the results generated by ML algorithms also presents a challenge. Despite their ability to detect complex patterns, it can be difficult to understand and interpret the output, especially in models such as deep neural networks. Choosing the right algorithm for a particular application and interpreting its predictions accurately requires expertise and a clear understanding of the problem domain.
- Furthermore, ML systems are highly susceptible to errors, especially if the training data is flawed or biased. If a model is trained on a dataset that lacks diversity or represents only a narrow perspective, it may produce biased or inaccurate outputs. For example, a poorly trained recommendation engine may show irrelevant ads, frustrating users and reducing engagement. Such errors can propagate through automated systems and remain undetected for a long time, making them difficult and time-consuming to find and fix.

9. RESULTS




FIGURE 2. GUI Interface for uploading CT and MRI images




FIGURE 3. Image selection for CT scan




FIGURE 4. Image selection for MRI scan




FIGURE 5. Resultant Wavelet Fusion Image

The results obtained by implementing Wavelet Transform-based image fusion for brain tumor detection show three distinct images. The first image represents a CT scan, which provides structural information of the brain, including the presence of bone and dense tissue. The second image is an MRI scan, which provides detailed soft tissue contrast and more clearly highlights abnormal tissues such as tumors. The third image is a Wavelet Fused image, which combines high-frequency and low-frequency information from CT and MRI images using multi-level Wavelet decomposition and reconstruction. The fusion process results in an enhanced image that provides detailed diagnostic information by preserving structural clarity from tissue details from the CT scan and MRI. The tumor region is successfully detected and highlighted using image processing and segmentation techniques. It is enclosed within a blue bounding box, which clearly indicates the area of abnormality. This fused image helps medical professionals more effectively in detecting and localizing tumors. The system allows users to upload and process other brain scan images, making it a versatile diagnostic tool. The improved contrast and clarity in the merged images improves tumor visibility and enables more accurate clinical analysis and treatment planning.

10. CONCLUSION

The proposed wavelet transform-based image fusion system provides a more accurate and efficient approach to brain tumor detection by integrating information from multiple imaging modalities. By combining MRI and CT scans using Discrete Wavelet Transform (DWT) and Stationary Wavelet Transform (SWT), the system enhances image clarity, improves contrast, and preserves essential tumor details. This enables more precise tumor localization and classification, aiding in early diagnosis and effective treatment planning. Compared to traditional methods, the proposed approach reduces noise and artifacts, enhances structural details, and minimizes the risk of information loss. The integration of deep learning based segmentation and classification further automates the tumor detection process, reducing the dependence on manual analysis and improving efficiency in clinical settings. This leads to faster and more accurate diagnoses, ultimately benefiting both doctors and patients. In conclusion, wavelet transform-based image fusion is a powerful technique that significantly improves the quality of medical imaging for brain tumor detection. By addressing the limitations of existing systems and leveraging advanced computational techniques, this approach contributes to better healthcare outcomes and opens the door for further research in medical image processing and artificial intelligence-driven diagnostics.

REFERENCES

- [1]. Li, S., Kang, X., Fang, L., Hu, J., & Yin, H. (2017). "Pixel-level image fusion: A survey of the state of the art." *Information Fusion*, 33, 100-112.
- [2]. Zhang, Y., Zhang, B., & Zhong, Y. (2018). "Medical image fusion using convolutional sparse representation and dictionary learning." *Biomedical Signal Processing and Control*, 45, 12-19.
- [3]. C.I. Vimalarani and M. Senthil Kumar, "Energy Efficient PCP Protocol for k-Coverage in Sensor Networks", *IEEE International Conference on Computational Intelligence and Computing Research*, IEEE Proceedings, 2010.
- [4]. M. Kavitha, T. Maheshwaran and M. Senthil Kumar, "Secure Routing in MANETs with Key Management", *International Journal on Engineering Technology and Sciences (IJETS)*. (Vol.1, Issue 6, October 2014, ISSN (P): 2349 – 3968, ISSN (O): 2349 - 3976).
- [5]. M. Senthil Kumar, "Energy Efficient Techniques for Transmission of Data in Wireless Sensor Networks", *Journal of Computing Technologies (JCT)*. (Vol.5, Issue 2, February 2016, ISSN: 2278 – 3814).
- [6]. M. Senthil Kumar and Ashish Chaturvedi, "Energy-Efficient Coverage and Prolongs for Network Lifetime of WSN using MCP", *European Journal of Scientific Research (EJSR)*. (Vol.95, No.2, January 2013, ISSN: 1450 – 216X / 1450 – 202X).
- [7]. Senthilkumar Meyyappan, Kalyan Kasturi, G. Vijaya Lakshmi, J. Srinija Reddy and K. Grace Sampoorna, "Improvement of LEACH Protocol for Enhancing Features of WSN", *Journal on Electronic and Automation Engineering*, Vol. 2(4), December 2023, pp. 19-26.
- [8]. Senthilkumar Meyyappan, A. Bharath Naik, A. Uma Sai and Ch. Keerthi, "Improving Weather Forecasting Accuracy Using Machine Learning", *Journal on Electronic and Automation Engineering*, Vol. 2(4), December 2023, pp. 9-18.
- [9]. James, A. P., & Dasarathy, B. V. (2014). "Medical image fusion: A survey of the state of the art." *Information Fusion*, 19, 4-19.
- [10]. Tian, J., Chen, L., Ma, L., & Yu, W. (2008). "Multimodality medical image fusion with adaptive weighted wavelet transform." *Proceedings of the International Conference on Bio-Medical Engineering and Informatics (BMEI)*, 717-721.
- [11]. R. Kathiresh, V.M. Ramprasath and M. Senthil Kumar, "A Systematic Approach for Design of Compressed Test Data in SOC", *CiiT International Journal of Software Engineering and Technology*. (Vol.4, No.4, Issue: April 2012, Print: ISSN 0974 – 9748 & Online: ISSN 0974 – 9632).
- [12]. M. Subashinidevi, S. Castro and M. Senthil Kumar, "Efficient Anonymous Transfer of Data in Wireless Networks", *International Journal on Engineering Technology and Sciences (IJETS)*. (Vol.1, Issue 6, October 2014, ISSN (P): 2349 – 3968, ISSN (O): 2349 - 3976).
- [13]. K. Arutselvan, C. Sridhathan and M. Senthil Kumar "Unlocking Mobile Devices using Improved Face Recognition and Eye Blinking Technique", *International Journal of Applied Engineering Research (IJAER)*. (Vol.13, No.24, 2018, PP 16907-16909, ISSN: 0973-4562).
- [14]. Mallat, S. (1989). "A theory for multi-resolution signal decomposition: The wavelet representation." *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(7), 674-693.
- [15]. Wang, Z., Ma, Y., & Gu, J. (2019). "Multi-focus image fusion using a wavelet-based approach and deep learning models." *IEEE Transactions on Image Processing*, 28(5), 2592-2603.
- [16]. M. Senthil Kumar, T. Lokesh, T. Srikanth and T. Sowmya Goud, "Enhancing Packet Inspection Accuracy to Identify Network Layer Attacks using Machine Learning", *International Journal of Scientific Research in Engineering and Management (IJSREM)*, Vol. 7, Issue 6, June 2023.

-
- [17]. C. Sridhathan, M. Senthil Kumar and G. Rajesh Krishna, "Smart and Secure Railway Transport System", Journal of Computing Technologies (JCT). (Vol.7, Issue 8, August 2018, ISSN: 2278 – 3814).
- [18]. M. Senthil Kumar, R. Karthik and I. Rabeek Raja, "An Efficient Approach for Increasing Power Optimization in Mobile Ad-Hoc Networks", International Journal of Engineering Research and Technology (IJERT). (Vol.3, Issue 2, February 2014).
- [19]. Raut, S., & Gupta, S. (2021). "Brain tumor segmentation using wavelet-based image fusion and deep learning." Neural Computing and Applications, 33(5), 1357-1372.
- [20]. Burt, P., & Adelson, E. H. (1983). "The Laplacian pyramid as a compact image code." IEEE Transactions on Communications, 31(4), 532-540.
- [21]. Senthilkumar Meyyappan and N. Selvamuthukumaran, "Network Selection in Heterogeneous Wireless Systems using GRA Method", Journal on Electronic and Automation Engineering, Vol. 4(1), March 2025, pp. 127-132.
- [22]. M. Senthil Kumar and Ashish Chaturvedi, "A Novel Enhanced Coverage Optimization Algorithm for Effectively Solving Energy Optimization Problem in WSN", Research Journal of Applied Sciences, Engineering and Technology (RJASET). (Issue 4, Vol.7, January 2014, ISSN: 2040 – 7459 & e-ISSN: 2040 – 7467).
- [23]. Lahouaoui, N., & Bouguila, N. (2020). "Medical image fusion using stationary wavelet transform and statistical modeling." Expert Systems with Applications, 141, 112959.
- [24]. Singh, R., & Khare, A. (2016). "Fusion of multimodal medical images using Daubechies complex wavelet transform–A multiresolution approach." Biomedical Signal Processing and Control, 23, 146-161.
- [25]. M. Kavitha, T. Maheshwaran and M. Senthil Kumar, "Ensure Data Transmission in Mobile Ad-Hoc Networks", International Journal on Engineering Technology and Sciences (IJETS). (Vol.2, Issue 4, April 2015, ISSN (P): 2349 – 3968, ISSN (O): 2349 - 3976).
- [26]. M. Senthil Kumar and C. Sridhathan, "Impact of Mobility on the Routine of Enhanced – DSDV Protocol in Mobile Ad-hoc Networks", International Journal of Applied Engineering Research (IJAER). (Vol.13, No.14, 2018, PP 11674-11679, ISSN: 0973-4562).
- [27]. Senthilkumar Meyyappan, G. Lava Kumar, G. Niharika and G. Chakradhar, "Cellular Network Signal Strength Analyser", Journal on Electronic and Automation Engineering, Vol. 4(1), March 2025, pp. 165-174.
- [28]. Senthilkumar Meyyappan, K. Susmitha, K. Vaishnavi and M. Sai Rao, "Condition Based Monitoring and Maintenance System for Underground Metro Stations", Journal on Electronic and Automation Engineering, Vol. 4(1), March 2025, pp. 175-182.
- [29]. M. Senthil Kumar and M. Gopinath, "An Efficient Polynomial Pool-Based Scheme for Distributed Heterogeneous WSNs", International Journal of Modern Engineering Research (IJMER). (Vol.3, Issue 6, Nov-Dec.2013, PP 3328-3335, ISSN: 2249-6645).
- [30]. M. Senthil Kumar and L. Praveen, "An Assuring Approach for Tree-Based Routing Topology in WSNs", International Journal of Emerging Trends in Engineering and Development (IJETED). (Issue 3, Vol.6, November 2013, ISSN: 2249 – 6149).